

**Mine Permit Groundwater Quality Monitoring Data
QAL023B (UMB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/09/16 ^T	Q2 2016 05/18/16 ^T	Q3 2016 08/83/16 ^T	Q4 2016 10/26/16 ^T
Field						
D.O. ¹	ppm	--	0.3	0.2	0.3	0.2
ORP	mV	--	-137	-33	-73	-128
pH	SU	7.8-8.8	7.2	7.0	8.1	7.0
Specific Conductance	μS/cm @ 25°C	--	122	120	123	121
Temperature	°C	--	5.2	7.7	10	7.2
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1414.99	1415.28	1414.96	1414.22
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.5	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	159	60	72	49	68
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	67	66	66	62	63
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0	<2.0	<2.0
Chloride	mg/L	4.0	<1.0	<1.0	<1.0	1.2
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	<0.050	<0.050	<0.050 e	<0.050
Sulfate	mg/L	8.0	3.7	3.5	4.3	2.2
Major Cations						
Calcium	mg/L	16	--	12 e	--	--
Magnesium	mg/L	3.7	--	3.0	--	--
Potassium	mg/L	2.0	--	<0.50	--	--
Sodium	mg/L	11	9.8	10	9.8	11
General						
Hardness	mg/L	55	--	42	--	--

Explanations of abbreviations are included on the final page of this table.

QAL023B (UMB)

**Mine Permit Groundwater Quality Monitoring Data
QAL024A (UMB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/04/16 ^T	Q2 2016 05/17/16 ^T	Q3 2016 08/04/16 ^T	Q4 2016 10/25/16 ^T
Field						
D.O. ¹	ppm	--	11	11	11	10
ORP	mV	--	179	196	217	169
pH	SU	6.1-7.1	6.4	6.5	6.3	6.3
Specific Conductance	µS/cm @ 25°C	--	551	421	392	353
Temperature	°C	--	7.6	7.6	8.7	8.0
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1416.87	1417.64	1417.45	1417.35
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	86	--	51	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	105	35	<20	<20	22
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	0.585	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	84	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	24	40	37	47	45
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0	<2.0	<2.0
Chloride	mg/L	4.0	150	110	86	93
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	2.8	1.9	1.5 e	1.6
Sulfate	mg/L	8.0	4.1	7.6	7.7	7.6
Major Cations						
Calcium	mg/L	48	--	30 e	--	--
Magnesium	mg/L	8.1	--	5.8	--	--
Potassium	mg/L	3.7	--	2.5	--	--
Sodium	mg/L	2.0	40	45	33	52
General						
Hardness	mg/L	153	--	99	--	--

Explanations of abbreviations are included on the final page of this table.

QAL024A (UMB)

**Mine Permit Groundwater Quality Monitoring Data
QAL025A (Background)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/08/16 ^T	Q2 2016 05/16/16 ^T	Q3 2016 08/04/16 ^T	Q4 2016 10/24/16 ^T
Field						
D.O. ¹	ppm	--	12	12	13	12
ORP	mV	--	165	106	73	304
pH	SU	6.4-7.4	7.2	6.6	7.5	6.5
Specific Conductance	µS/cm @ 25°C	--	76	53	59	51
Temperature	°C	--	6.4	7.5	7.6	7.3
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1415.74	1416.02	1416.53	1416.14
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	126	<20	<20	<20	24
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	25	35	29	27	30
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0	<2.0	<2.0
Chloride	mg/L	4.0	1.3	1.1	1.2	1.4
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	1.1	0.60	0.92	0.55 e	0.54
Sulfate	mg/L	8.0	2.5	<2.0	<2.0	2.2
Major Cations						
Calcium	mg/L	8.5	--	7.3 e	--	--
Magnesium	mg/L	2.0	--	1.5	--	--
Potassium	mg/L	2.0	--	0.80	--	--
Sodium	mg/L	2.0	0.94	1.0	1.1	0.99
General						
Hardness	mg/L	28	--	24	--	--

Explanations of abbreviations are included on the final page of this table.

QAL025A (Background)

**Mine Permit Groundwater Quality Monitoring Data
QAL025B (Background)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/08/16 ^T	Q2 2016 05/16/16 ^T	Q3 2016 08/04/16 ^T	Q4 2016 10/24/16 ^T
Field						
D.O. ¹	ppm	--	11	12	12	11
ORP	mV	--	118	81	51	281
pH	SU	8.5-9.5	9.0	8.8	9.2	8.7
Specific Conductance	µS/cm @ 25°C	--	68	62	67	55
Temperature	°C	--	6.7	7.0	7.6	7.3
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1415.61	1415.91	1416.41	1415.99
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	56	<20	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	1.1	1.1	<1.0	1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	36	27	27	28	30
Alkalinity, Carbonate	mg/L	12	8.0 e	9.1	7.1	4.1
Chloride	mg/L	4.0	<1.0	<1.0	<1.0	<1.0
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	0.13	0.12	0.10 e,s	0.11
Sulfate	mg/L	8.0	2.2	<2.0	2.2	2.1
Major Cations						
Calcium	mg/L	10	--	9.4 e	--	--
Magnesium	mg/L	2.0	--	1.7	--	--
Potassium	mg/L	2.0	--	<0.50	--	--
Sodium	mg/L	4.5	1.9	1.9	1.8	1.7
General						
Hardness	mg/L	33	--	30	--	--

Explanations of abbreviations are included on the final page of this table.

QAL025B (Background)

**Mine Permit Groundwater Quality Monitoring Data
QAL025D (Background)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/02/16 ^T	Q2 2016 05/09/16 ^T	Q3 2016 08/02/16 ^T	Q4 2016 11/07/16 ^T
Field						
D.O. ¹	ppm	--	5.6	6.1	6.3	5.4
ORP	mV	--	13	62	33	121
pH	SU	8.2-9.2	8.7	8.5	9.0	8.5
Specific Conductance	µS/cm @ 25°C	--	89	86	95	91
Temperature	°C	--	7.0	7.3	7.5	7.4
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1411.74	1411.53	1412.34	1411.91
Metals						
Aluminum	ug/L	200	--	110	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.5	2.6	3.1	2.8	2.9
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	137	48	70	62	45
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	3.8	4.3	4.1	3.9
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	52	59	43	42	39
Alkalinity, Carbonate	mg/L	14	5.0 e	2.0	3.0	6.0
Chloride	mg/L	4.0	<1.0	<1.0	<1.0	<1.0
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	0.16	0.17	0.16 e	0.16
Sulfate	mg/L	8.0	4.6	4.7	5.1	5.2
Major Cations						
Calcium	mg/L	12	--	11 e	--	--
Magnesium	mg/L	2.7	--	2.7	--	--
Potassium	mg/L	2.0	--	0.61	--	--
Sodium	mg/L	12	4.1	4.4	3.9	3.8
General						
Hardness	mg/L	42	--	39	--	--

Explanations of abbreviations are included on the final page of this table.

QAL025D (Background)

**Mine Permit Groundwater Quality Monitoring Data
QAL026A (Background)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/02/16 ^T	Q2 2016 05/09/16 ^T	Q3 2016 08/02/16 ^T	Q4 2016 11/07/16 ^T
Field						
D.O. ¹	ppm	--	14	i	11	11
ORP	mV	--	101	i	84	185
pH	SU	6.2-7.2	6.3	i	7.0	6.3
Specific Conductance	µS/cm @ 25°C	--	165	i	153	144
Temperature	°C	--	5.9	i	11	10.7
Turbidity	NTU	--	<1	i	<1	<1
Water Elevation	ft MSL	--	1415.70	<1461.1 BP	1416.40	1416.26
Metals						
Aluminum	ug/L	236	--	i	--	--
Antimony	ug/L	5.5	--	i	--	--
Arsenic	ug/L	6.0	<2.0	i	<2.0	<2.0
Barium	ug/L	80	--	i	--	--
Beryllium	ug/L	2.5	--	i	--	--
Boron	ug/L	400	<100	i	<100	<100 e
Cadmium	ug/L	2.0	--	i	--	--
Chromium	ug/L	20	--	i	--	--
Cobalt	ug/L	40	--	i	--	--
Copper	ug/L	20	<5.0	i	<5.0	<5.0
Iron	ug/L	368	90	i	310	120
Lead	ug/L	4.0	--	i	--	--
Lithium	ug/L	32	--	i	--	--
Manganese	ug/L	80	<20	i	<20 e	<20
Mercury	ng/L	2.00	<0.500	i	0.576	<0.500 e
Molybdenum	ug/L	40	--	i	--	--
Nickel	ug/L	100	<25	i	<25	<25
Selenium	ug/L	4.0	<1.0	i	<1.0 e	<1.0
Silver	ug/L	0.80	--	i	--	--
Strontium	ug/L	200	--	i	--	--
Thallium	ug/L	2.0	--	i	--	--
Vanadium	ug/L	4.0	<1.0	i	<1.0	<1.0
Zinc	ug/L	40	<10	i	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	114	93	i	83	77
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	i	<2.0	<2.0
Chloride	mg/L	4.0	1.2	i	<1.0	1.1
Fluoride	mg/L	0.40	--	i	--	--
Nitrogen, Nitrate	mg/L	0.73	1.3	i	1.2 e	0.99
Sulfate	mg/L	8.0	<2.0	i	2.0	2.3
Major Cations						
Calcium	mg/L	40.0	--	i	--	--
Magnesium	mg/L	5.9	--	i	--	--
Potassium	mg/L	2.0	--	i	--	--
Sodium	mg/L	2.4	1.5	i	1.4	1.5
General						
Hardness	mg/L	124	--	i	--	--

Explanations of abbreviations are included on the final page of this table.

QAL026A (Background)

**Mine Permit Groundwater Quality Monitoring Data
QAL026D (Background)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/02/16 ^T	Q2 2016 05/09/16 ^T	Q3 2016 08/02/16 ^T	Q4 2016 11/07/16 ^T
Field						
D.O. ¹	ppm	--	12	12	12	11
ORP	mV	--	21	65	56	145
pH	SU	8.4-9.4	8.9	8.4	8.9	8.6
Specific Conductance	µS/cm @ 25°C	--	60	60	65	63
Temperature	°C	--	7.0	7.4	8.0	7.6
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1408.61	1408.33	1409.04	1408.77
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	<20	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	31	31	30	31	27
Alkalinity, Carbonate	mg/L	8.0	4.0 e	4.0	4.0	8.1
Chloride	mg/L	4.0	<1.0	<1.0	<1.0	<1.0
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	0.10	0.10	0.094 e,s	0.11
Sulfate	mg/L	8.0	2.0	<2.0	<2.0	<2.0
Major Cations						
Calcium	mg/L	13	--	9.6 e	--	--
Magnesium	mg/L	2.4	--	1.5	--	--
Potassium	mg/L	2.0	--	0.50	--	--
Sodium	mg/L	2.0	0.65	0.73	0.65	0.64
General						
Hardness	mg/L	43	--	30	--	--

Explanations of abbreviations are included on the final page of this table.

QAL026D (Background)

**Mine Permit Groundwater Quality Monitoring Data
QAL026E (Background)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/08/16 ^T	Q2 2016 05/16/16 ^T	Q3 2016 08/04/16 ^T	Q4 2016 11/07/16 ^T
Field						
D.O. ¹	ppm	--	0.1	1.0	1.0	0.3
ORP	mV	--	-140	-1	-55	-9
pH	SU	8.1-9.1	8.4	8.4	9.1	8.5
Specific Conductance	µS/cm @ 25°C	--	120	112	121	100
Temperature	°C	--	6.7	7.1	7.7	7.2
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1408.71	1403.74	1409.14	1408.40
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	7.8	7.4	7.1	7.0	6.7
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	<20	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	61	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	91	58	59	56	57
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0	<2.0	<2.0
Chloride	mg/L	4.0	<1.0	<1.0	<1.0	<1.0
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	<0.050	<0.050	<0.050 e	<0.050
Sulfate	mg/L	8.6	7.3	7.3	7.0	7.4
Major Cations						
Calcium	mg/L	17	--	16 e	--	--
Magnesium	mg/L	4.3	--	4.2	--	--
Potassium	mg/L	2.0	--	1.9	--	--
Sodium	mg/L	2.0	1.7	1.7	1.7	1.7
General						
Hardness	mg/L	60	--	57	--	--

Explanations of abbreviations are included on the final page of this table.

QAL026E (Background)

**Mine Permit Groundwater Quality Monitoring Data
QAL044B (UMB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/09/16 ^T	Q2 2016 05/18/16 ^T	Q3 2016 08/08/16 ^T	Q4 2016 10/25/16 ^T
Field						
D.O. ¹	ppm	--	1.0	1.0	1.0	1.0
ORP	mV	--	-388	-103	-132	-180
pH	SU	8.3-9.3	9.0	9.3	9.5	9.9
Specific Conductance	µS/cm @ 25°C	--	70	63	75	77
Temperature	°C	--	6.3	7.9	8.4	7.9
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1414.11	1414.23	1414.42	1413.98
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	2.1	2.6
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	65	31	23	31
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	64	30	21	18	12
Alkalinity, Carbonate	mg/L	8.0	4.0 e	10	14	16
Chloride	mg/L	4.0	1.5	1.2	1.1	1.4
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	<0.050	<0.050	<0.050 e	<0.050
Sulfate	mg/L	24	7.5	8.1	7.4	7.4
Major Cations						
Calcium	mg/L	17	--	8.3 e	--	--
Magnesium	mg/L	4.0	--	1.8	--	--
Potassium	mg/L	2.0	--	0.52	--	--
Sodium	mg/L	2.6	2.4	2.5	2.5	2.5
General						
Hardness	mg/L	58	--	28	--	--

Explanations of abbreviations are included on the final page of this table.

QAL044B (UMB)

**Mine Permit Groundwater Quality Monitoring Data
QAL060A (TDRSA-CWB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/04/16 ^T	Q2 2016 05/16/16 ^T	Q3 2016 08/03/16 ^T	Q4 2016 10/24/16 ^T
Field						
D.O. ¹	ppm	--	12	11	11	11
ORP	mV	--	55	124	268	70
pH	SU	8.1-9.1	8.4	8.8	8.7	8.9
Specific Conductance	µS/cm @ 25°C	--	68	72	75	73
Temperature	°C	--	7.6	7.3	9.3	7.7
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1404.18	1403.86	1404.59	1404.21
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	7.2	5.4	5.9	5.0	4.8
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	<20	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	1.3	1.3	1.3	1.3
Zinc	ug/L	40	11	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	62	36	34	36	36
Alkalinity, Carbonate	mg/L	8.0	2.0 e	<2.0	2.0	8.1
Chloride	mg/L	4.0	<1.0	<1.0	1.1	1.1
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	0.15	0.15	0.16 e	0.18
Sulfate	mg/L	8.0	<2.0	<2.0	2.2	2.0
Major Cations						
Calcium	mg/L	17	--	10 e	--	--
Magnesium	mg/L	4.2	--	2.5	--	--
Potassium	mg/L	2.0	--	0.69	--	--
Sodium	mg/L	2.1	0.76	0.78	0.79	0.75
General						
Hardness	mg/L	61	--	35	--	--

Explanations of abbreviations are included on the final page of this table.

QAL060A (TDRSA-CWB)

**Mine Permit Groundwater Quality Monitoring Data
QAL061A (TDRSA-CWB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/04/16 ^T	Q2 2016 05/16/16 ^T	Q3 2016 08/03/16 ^T	Q4 2016 10/25/16 ^T
Field						
D.O. ¹	ppm	--	11	11	11	11
ORP	mV	--	32	131	249	62
pH	SU	8.1-9.1	8.7	8.8	8.7	9.1
Specific Conductance	µS/cm @ 25°C	--	68	74	75	79
Temperature	°C	--	7.6	7.2	8.6	7.4
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1405.52	1406.21	1405.92	1405.59
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	<20	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	40	36	38	28	36
Alkalinity, Carbonate	mg/L	8.0	3.0 e	2.0	5.1	2.0
Chloride	mg/L	4.0	<1.0	<1.0	1.2	<1.0
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.27	0.27	0.29	0.26 e	0.28
Sulfate	mg/L	8.0	<2.0	<2.0	<2.0	<2.0
Major Cations						
Calcium	mg/L	15	--	11 e	--	--
Magnesium	mg/L	2.2	--	2.0	--	--
Potassium	mg/L	2.0	--	<0.50	--	--
Sodium	mg/L	2.0	0.65	0.63	0.72	0.72
General						
Hardness	mg/L	37	--	36	--	--

Explanations of abbreviations are included on the final page of this table.

QAL061A (TDRSA-CWB)

**Mine Permit Groundwater Quality Monitoring Data
QAL062A (TDRSA-CWB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/04/16 ^T	Q2 2016 05/16/16 ^T	Q3 2016 08/03/16 ^T	Q4 2016 10/24/16 ^T
Field						
D.O. ¹	ppm	--	10	9.8	9.8	9.6
ORP	mV	--	45	116	136	111
pH	SU	8.3-9.3	8.3	7.9	8.0	8.1
Specific Conductance	µS/cm @ 25°C	--	312	338	328	356
Temperature	°C	--	7.1	7.2	8.3	7.6
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1406.88	1406.54	1407.27	1406.88
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	<20	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	63	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	48	110	110	120	120
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0	<2.0	<2.0
Chloride	mg/L	4.0	45	43	39	46
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.41	0.39	0.40	0.41 e	0.46
Sulfate	mg/L	8.0	<2.0	<2.0	2.3	2.2
Major Cations						
Calcium	mg/L	12	--	45 e	--	--
Magnesium	mg/L	2.2	--	9.1	--	--
Potassium	mg/L	2.0	--	1.6	--	--
Sodium	mg/L	2.0	5.2	9.2	13	11
General						
Hardness	mg/L	40	--	150	--	--

Explanations of abbreviations are included on the final page of this table.

QAL062A (TDRSA-CWB)

**Mine Permit Groundwater Quality Monitoring Data
QAL063A (TDRSA-CWB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/04/16 ^T	Q2 2016 05/17/16 ^T	Q3 2016 08/04/16 ^T	Q4 2016 10/24/16 ^T
Field						
D.O. ¹	ppm	--	10	10	9.7	9.5
ORP	mV	--	-40	121	189	61
pH	SU	8.1-9.1	8.5	8.4	8.1	8.3
Specific Conductance	µS/cm @ 25°C	--	147	188	218	283
Temperature	°C	--	7.5	7.9	8.9	8.3
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1400.77	1400.31	1401.35	1400.83
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	<20	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	42	76	94	100	110
Alkalinity, Carbonate	mg/L	8.0	3.0 e	<2.0	<2.0	<2.0
Chloride	mg/L	4.0	3.5	7.5	14	24
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.29	0.28	0.39	0.45 e	0.54
Sulfate	mg/L	8.0	<2.0	<2.0	<2.0	2.0
Major Cations						
Calcium	mg/L	12	--	32 e	--	--
Magnesium	mg/L	2.0	--	5.6	--	--
Potassium	mg/L	2.0	--	1.1	--	--
Sodium	mg/L	2.0	1.0	1.2	1.2	1.4
General						
Hardness	mg/L	40	--	103	--	--

Explanations of abbreviations are included on the final page of this table.

QAL063A (TDRSA-CWB)

**Mine Permit Groundwater Quality Monitoring Data
QAL064D (UMB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/11/16 ^T	Q2 2016 05/17/16 ^T	Q3 2016 08/04/16 ^T	Q4 2016 10/25/16 ^T
Field						
D.O. ¹	ppm	--	<0.1	<0.1	0.2	0.2
ORP	mV	--	-96	-169	-206	-184
pH	SU	8.0-9.0	8.1	8.4	8.4	8.7
Specific Conductance	µS/cm @ 25°C	--	146	140	153	143
Temperature	°C	--	6.4	6.7	7.5	7.0
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1415.06	1415.80	1416.26	1415.58
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	44	36	26	31
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	110	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	82	77	79	74	82
Alkalinity, Carbonate	mg/L	8.0	2.0 e	<2.0	4.0	<2.0
Chloride	mg/L	4.2	2.4	2.3	2.1	2.5
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	<0.050	<0.050	<0.050 e	<0.050
Sulfate	mg/L	8.0	<2.0	2.6	<2.0	<2.0
Major Cations						
Calcium	mg/L	22	--	20 e	--	--
Magnesium	mg/L	3.3	--	4.2	--	--
Potassium	mg/L	2.0	--	1.3	--	--
Sodium	mg/L	6.9	4.4	4.3	4.1	4.2
General						
Hardness	mg/L	51	--	67	--	--

Explanations of abbreviations are included on the final page of this table.

QAL064D (UMB)

**Mine Permit Groundwater Quality Monitoring Data
QAL065D (UMB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/09/16 ^T	Q2 2016 05/18/16 ^T	Q3 2016 08/08/16 ^T	Q4 2016 10/26/16 ^T
Field						
D.O. ¹	ppm	--	0.1	0.2	0.6	1.0
ORP	mV	--	-215	-176	-120	-72
pH	SU	7.9-8.9	8.6	8.5	8.4	8.7
Specific Conductance	µS/cm @ 25°C	--	150	143	144	143
Temperature	°C	--	6.2	6.7	7.8	7.0
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1415.84	1416.26	1415.92	1415.80
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.6	3.3	3.3	3.0	3.3
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	55	61	52	51
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	210	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	86	77	79	78	79
Alkalinity, Carbonate	mg/L	8.7	6.0 e	2.0	3.0	<2.0
Chloride	mg/L	4.0	1.1	<1.0	<1.0	1.2
Fluoride	mg/L	0.40	--	0.15	--	--
Nitrogen, Nitrate	mg/L	0.20	<0.050	<0.050	<0.050 e	<0.050
Sulfate	mg/L	8.0	<2.0	<2.0	<2.0	<2.0
Major Cations						
Calcium	mg/L	14	--	13 e	--	--
Magnesium	mg/L	4.8	--	4.4	--	--
Potassium	mg/L	3.0	--	2.6	--	--
Sodium	mg/L	12	11	11	10	12
General						
Hardness	mg/L	53	--	51	--	--

Explanations of abbreviations are included on the final page of this table.

QAL065D (UMB)

**Mine Permit Groundwater Quality Monitoring Data
QAL066D (UMB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/09/16 ^T	Q2 2016 05/18/16 ^D	Q3 2016 08/08/16 ^D	Q4 2016 10/25/16 ^D
Field						
D.O. ¹	ppm	--	1.5	1.1	2.3	3.2
ORP	mV	--	-253	12	-44	-3
pH	SU	8.7-9.7	9.9	9.1	9.0	9.1
Specific Conductance	µS/cm @ 25°C	--	118	125	141	121
Temperature	°C	--	5.1	8.6	11.4	8.3
Turbidity	NTU	--	<1	272	293	328
Water Elevation	ft MSL	--	1415.01	1415.09	1415.12	1414.85
Metals						
Aluminum	ug/L	557	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	8.9	9.0	9.3	9.3	11
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	288	1300	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	3.89	0.679	1.23	2.79 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	367	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	2.2	1.8	1.4	1.5
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	61	44	60	55	56
Alkalinity, Carbonate	mg/L	52	16 e	6.1	15	12
Chloride	mg/L	4.0	2.0	1.1	2.0	2.5
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	<0.050	<0.050	0.052 e,s	<0.050
Sulfate	mg/L	11	15	15	19	23
Major Cations						
Calcium	mg/L	58	--	10 e	--	--
Magnesium	mg/L	2.9	--	1.7	--	--
Potassium	mg/L	2.6	--	1.1	--	--
Sodium	mg/L	8.0	14	16	18	21
General						
Hardness	mg/L	146	--	32	--	--

Explanations of abbreviations are included on the final page of this table.

QAL066D (UMB)

**Mine Permit Groundwater Quality Monitoring Data
QAL067A (TDRSA-CWB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/04/16 ^T	Q2 2016 05/16/16 ^T	Q3 2016 08/03/16 ^T	Q4 2016 10/26/16 ^T
Field						
D.O. ¹	ppm	--	9.1	8.9	8.8	8.7
ORP	mV	--	259	262	310	111
pH	SU	5.6-6.6	6.1	6.1	6.1	6.3
Specific Conductance	µS/cm @ 25°C	--	2160	2314	2010	1675
Temperature	°C	--	7.5	7.9	8.9	8.0
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1414.06	1413.65	1414.31	1414.20
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	220	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	<20	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	2.07	2.38	2.33	2.17 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	180	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	1.1	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	51	50	48	51	49
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0	<2.0	<2.0
Chloride	mg/L	4.0	730	730	590	490
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.25	2.0	2.1	2.2 e	2.4
Sulfate	mg/L	8.4	13	16	18	19
Major Cations						
Calcium	mg/L	8.2	--	32 e	--	--
Magnesium	mg/L	2.0	--	18	--	--
Potassium	mg/L	2.0	--	4.6	--	--
Sodium	mg/L	2.0	430	440	380	310
General						
Hardness	mg/L	26	--	154	--	--

Explanations of abbreviations are included on the final page of this table.

QAL067A (TDRSA-CWB)

**Mine Permit Groundwater Quality Monitoring Data
QAL068A (Background)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/08/16 ^T	Q2 2016 05/16/16 ^T	Q3 2016 08/04/16 ^T	Q4 2016 10/24/16 ^T
Field						
D.O. ¹	ppm	--	12	12	12	12
ORP	mV	--	93	109	210	231
pH	SU	6.2-7.2	6.7	6.4	6.5	6.9
Specific Conductance	µS/cm @ 25°C	--	37	42	37	28
Temperature	°C	--	7.2	7.4	7.9	7.4
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1421.61	1420.57	1422.03	1421.68
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	<20	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	35	21	25	11	16
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0	<2.0	<2.0
Chloride	mg/L	4.0	1.4	<1.0	<1.0	<1.0
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	<0.050	<0.050	<0.050 e	<0.050
Sulfate	mg/L	8.0	<2.0	<2.0	<2.0	<2.0
Major Cations						
Calcium	mg/L	6.7	--	6.3 e	--	--
Magnesium	mg/L	2.0	--	1.2	--	--
Potassium	mg/L	2.0	--	1.1	--	--
Sodium	mg/L	2.0	0.69	0.76	0.64	0.64
General						
Hardness	mg/L	21	--	21	--	--

Explanations of abbreviations are included on the final page of this table.

QAL068A (Background)

**Mine Permit Groundwater Quality Monitoring Data
QAL068B (Background)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/08/16 ^T	Q2 2016 05/16/16 ^T	Q3 2016 08/04/16 ^T	Q4 2016 10/24/16 ^T
Field						
D.O. ¹	ppm	--	12	12	12	11
ORP	mV	--	20	72	36	142
pH	SU	8.4-9.4	9.0	8.8	9.1	8.8
Specific Conductance	µS/cm @ 25°C	--	59	57	62	51
Temperature	°C	--	6.9	7.2	7.9	7.6
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1412.87	1412.39	1413.42	1412.68
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	184	<20	<20	22	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	1.1	1.1	<1.0	1.1
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	30	27	31	26	37
Alkalinity, Carbonate	mg/L	9.9	7.0 e	2.0	8.1	2.0
Chloride	mg/L	4.0	1.2	<1.0	1.0	<1.0
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.20	0.068	0.064	<0.050 e	0.058
Sulfate	mg/L	8.0	2.5	2.0	2.5	2.4
Major Cations						
Calcium	mg/L	9.4	--	8.9 e	--	--
Magnesium	mg/L	2.0	--	1.8	--	--
Potassium	mg/L	2.0	--	0.62	--	--
Sodium	mg/L	2.0	0.98	0.98	0.89	0.91
General						
Hardness	mg/L	31	--	30	--	--

Explanations of abbreviations are included on the final page of this table.

QAL068B (Background)

**Mine Permit Groundwater Quality Monitoring Data
QAL068D (Background)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/08/16 ^T	Q2 2016 05/16/16 ^T	Q3 2016 08/04/16 ^T	Q4 2016 10/25/16 ^T
Field						
D.O. ¹	ppm	--	2.6	4.5	4.1	2.8
ORP	mV	--	-83	5	-44	8
pH	SU	8.0-9.0	8.4	8.3	8.9	8.3
Specific Conductance	µS/cm @ 25°C	--	115	111	122	100
Temperature	°C	--	6.1	7.3	--	8.4
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1413.03	1412.52	1413.47	1412.81
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	7.2	5.2	4.8	4.5	5.1
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	119	<20	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.12	<0.500	<0.500	<0.500	<0.500 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	3.0	2.5	2.5	1.6
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	67	61	59	59	60
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0	2.0	<2.0
Chloride	mg/L	4.0	1.2	1.1	1.0	<1.0
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.21	<0.050	<0.050	<0.050 e	<0.050
Sulfate	mg/L	10	5.5	5.6	5.1	5.6
Major Cations						
Calcium	mg/L	16	--	14 e	--	--
Magnesium	mg/L	3.9	--	3.9	--	--
Potassium	mg/L	2.0	--	1.2	--	--
Sodium	mg/L	6.1	4.4	4.6	4.3	4.7
General						
Hardness	mg/L	52	--	51	--	--

Explanations of abbreviations are included on the final page of this table.

QAL068D (Background)

**Mine Permit Groundwater Quality Monitoring Data
QAL069A (Background)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/08/16 ^T	Q2 2016 05/17/16 ^T	Q3 2016 08/03/16 ^T	Q4 2016 10/24/16 ^T
Field						
D.O. ¹	ppm	--	7.7	8.1	4.9	5.2
ORP	mV	--	137	166	27	64
pH	SU	7.8-8.8	7.0	7.1	8.0	7.0
Specific Conductance	µS/cm @ 25°C	--	429	376	533	559
Temperature	°C	--	6.7	7.9	8.7	8.2
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1381.38	1381.68	1382.35	1382.60
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	80	<20	<20	<20	29
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	2.35	2.25	29.2	14.4 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	69	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	138	210	210	230	180
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0	<2.0	<2.0
Chloride	mg/L	4.0	15	4.1	38	76
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.57	1.3	0.98	0.81 e	0.98
Sulfate	mg/L	8.0	8.6	7.5	6.1	8.8
Major Cations						
Calcium	mg/L	35	--	50 e	--	--
Magnesium	mg/L	18	--	21	--	--
Potassium	mg/L	2.0	--	1.9	--	--
Sodium	mg/L	2.0	13	6.6	12	28
General						
Hardness	mg/L	162	--	211	--	--

Explanations of abbreviations are included on the final page of this table.

QAL069A (Background)

**Mine Permit Groundwater Quality Monitoring Data
QAL071A (TDRSA-CWB)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/08/16 ^T	Q2 2016 05/17/16 ^T	Q3 2016 08/03/16 ^T	Q4 2016 10/25/16 ^T
Field						
D.O. ¹	ppm	--	11	11	11	11
ORP	mV	--	20	62	30	72
pH	SU	8.1-9.1	8.0	7.8	8.7	7.9
Specific Conductance	µS/cm @ 25°C	--	345	418	559	494
Temperature	°C	--	7.3	8.0	8.6	8.1
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1403.89	1404.82	1405.57	1405.73
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	25	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	178	<20	<20	<20	<20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	<0.500	<0.500	<0.500	0.512 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	73	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	44	120	140	150	150
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0	<2.0	<2.0
Chloride	mg/L	4.0	25	36	29	21
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.31	10	14	27 e	28
Sulfate	mg/L	8.0	7.3	7.0	6.6	6.3
Major Cations						
Calcium	mg/L	12	--	67 e	--	--
Magnesium	mg/L	2.0	--	10	--	--
Potassium	mg/L	2.0	--	1.3	--	--
Sodium	mg/L	2.0	10	8.2	17	25
General						
Hardness	mg/L	38	--	209	--	--

Explanations of abbreviations are included on the final page of this table.

QAL071A (TDRSA-CWB)

**Mine Permit Groundwater Quality Monitoring Data
QAL074A (Septic & WWTP)
Eagle Mine**

Parameter	Unit	Benchmark	Q1 2016 02/16/16 ^T	Q2 2016 05/17/16 ^T	Q3 2016 08/08/16 ^T	Q4 2016 10/26/16 ^T
Field						
D.O. ¹	ppm	--	11	11	7.9	9.0
ORP	mV	--	138	59	-15	82
pH	SU	8.4-9.4	8.6	8.6	9.1	8.0
Specific Conductance	μS/cm @ 25°C	--	267	245	277	230
Temperature	°C	--	5.3	10	16	6.0
Turbidity	NTU	--	<1	<1	<1	<1
Water Elevation	ft MSL	--	1403.03	1403.77	1404.69	1404.16
Metals						
Aluminum	ug/L	200	--	<50	--	--
Antimony	ug/L	5.5	--	<5.0	--	--
Arsenic	ug/L	6.0	<2.0	<2.0	<2.0	<2.0
Barium	ug/L	80	--	<20	--	--
Beryllium	ug/L	2.5	--	<1.0	--	--
Boron	ug/L	400	<100	<100	<100	<100 e
Cadmium	ug/L	2.0	--	<0.50	--	--
Chromium	ug/L	20	--	<5.0	--	--
Cobalt	ug/L	40	--	<10	--	--
Copper	ug/L	20	<5.0	<5.0	<5.0	<5.0
Iron	ug/L	212	45	31	<20	20
Lead	ug/L	4.0	--	<1.0	--	--
Lithium	ug/L	32	--	<8.0	--	--
Manganese	ug/L	80	<20	<20	<20 e	<20
Mercury	ng/L	2.00	0.954	0.817	1.92	1.82 e
Molybdenum	ug/L	40	--	<10	--	--
Nickel	ug/L	100	<25	<25	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e	<1.0 e	<1.0
Silver	ug/L	0.80	--	<0.20	--	--
Strontium	ug/L	200	--	<50	--	--
Thallium	ug/L	2.0	--	<2.0	--	--
Vanadium	ug/L	4.0	<1.0	<1.0	<1.0	<1.0
Zinc	ug/L	40	<10	<10	<10 e	<10
Major Anions						
Alkalinity, Bicarbonate	mg/L	39	43	49	44	51
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0	2.0	<2.0
Chloride	mg/L	4.0	47	53	50	52
Fluoride	mg/L	0.40	--	<0.10	--	--
Nitrogen, Nitrate	mg/L	0.43	1.6	1.3	1.3 e	1.3
Sulfate	mg/L	8.0	6.8	6.9	6.7	7.8
Major Cations						
Calcium	mg/L	31	--	32 e	--	--
Magnesium	mg/L	5.9	--	6.4	--	--
Potassium	mg/L	2.0	--	1.1	--	--
Sodium	mg/L	3.5	6.8	9.1	9.2	9.6
General						
Hardness	mg/L	103	--	106	--	--

Explanations of abbreviations are included on the final page of this table.

QAL074A (Septic & WWTP)

**Groundwater Quality Data
Mine Permit Monitoring
Explanation of Abbreviations and Data Qualifiers
Eagle Project**

Abbreviation or Data Qualifier	Explanation
1	Many D.O. values are elevated due to well screen configuration and aquifer characteristics and the low-flow sampling method. Super-saturated DO values are rejected (see R data qualifier) as not being representative of true conditions.
a	Estimated value. Duplicate precision for this parameter exceeded quality control limit.
b	Estimated value. Sample received after EPA established hold time expired.
BP	Below pump. Maximum water elevation is shown.
CWB	Contact Water Basin
D	Sample for metal and major cation parameters was filtered and values are dissolved concentrations.
e	Estimated value. The laboratory statement of data qualifications indicates that a quality control limit for this parameter was exceeded.
f	Value should be considered an estimate because field stabilization was not achieved of at least one parameter.
i	Insufficient water for collection of field parameters and/or sample.
NM	Not measured.
p	Pending. Some parameters/locations require additional baseline data to calculate a benchmark.
Q	Quarter.
R	Measured value was rejected based on quality control procedures.
RL	Laboratory reporting limit.
s	Potential false positive value. Compound present in blank sample.
t	Trending. Benchmarks are not proposed for baseline datasets that appear to be trending (using samples collected through Q4 2012) because the data do not represent a random distribution about the baseline mean. Trend analysis is recommended in place of benchmark screening for parameters that appear to be trending.
T	Sample was not filtered and all values are total concentrations.
TDRSA	Temporary Development Rock Storage Area
UMB	Underground Mine Boundary
	Value is equal to or above site-specific benchmark. An exceedance occurs if there are 2 consecutive sampling events with a value equal to or greater than the benchmark at a compliance monitoring location.

**Mine Permit Groundwater Quality Monitoring Data
QAL073A (NCWIB)
Eagle Mine**

Parameter	Unit	Benchmark	Q2 2015 05/13/15 ^T	Q2 2016 05/17/16 ^T
Field				
D.O. ¹	ppm	--	11	11
ORP	mV	--	167	102
pH	SU	6.1-7.1	6.8	6.7
Specific Conductance	µS/cm @ 25°C	--	160	207
Temperature	°C	--	10	10
Turbidity	NTU	--	<1	<1
Water Elevation	ft MSL	--	1382.45	1381.68
Metals				
Aluminum	ug/L	200	110	<50
Antimony	ug/L	5.5	<5.0	<5.0
Arsenic	ug/L	6.0	<2.0	<2.0
Barium	ug/L	80	<20	<20
Beryllium	ug/L	2.5	<1.0	<1.0
Boron	ug/L	400	<100	<100
Cadmium	ug/L	2.0	<0.50	<0.50
Chromium	ug/L	20	<5.0	<5.0
Cobalt	ug/L	40	<10	<10
Copper	ug/L	20	<5.0	<5.0
Iron	ug/L	132	130	74
Lead	ug/L	4.0	<1.0	<1.0
Lithium	ug/L	32	<8.0	<8.0
Manganese	ug/L	80	<20	<20
Mercury	ng/L	2.00	0.942 e	0.632
Molybdenum	ug/L	40	<10	<10
Nickel	ug/L	100	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e
Silver	ug/L	0.80	<0.20	<0.20
Strontium	ug/L	200	94	98
Thallium	ug/L	2.0	<2.0	<2.0
Vanadium	ug/L	4.0	<2.0	<1.0
Zinc	ug/L	40	<10	<10
Major Anions				
Alkalinity, Bicarbonate	mg/L	44	97	100
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0
Chloride	mg/L	20	8.4	5.6
Fluoride	mg/L	0.40	<0.10	<0.10
Nitrogen, Nitrate	mg/L	0.60	2.0 e	1.6
Sulfate	mg/L	8.0	7.9	9.4
Major Cations				
Calcium	mg/L	9.2	32	34 e
Magnesium	mg/L	2.5	7.0	7.5
Potassium	mg/L	2.0	1.3	1.3
Sodium	mg/L	2.0	1.8	2.8
General				
Hardness	mg/L	33	109	116

Explanations of abbreviations are included on the final page of this table.

QAL073A (NCWIB)

**Mine Permit Groundwater Quality Monitoring Data
QAL070A (NCWIB)
Eagle Mine**

Parameter	Unit	Benchmark	Q2 2015 05/13/15 ^T	Q2 2016 05/17/16 ^T
Field				
D.O. ¹	ppm	--	11	10
ORP	mV	--	167	55
pH	SU	8.3-9.3	8.6	8.5
Specific Conductance	μS/cm @ 25°C	--	188	440
Temperature	°C	--	9.0	9.0
Turbidity	NTU	--	<1	<1
Water Elevation	ft MSL	--	1370.25	1369.67
Metals				
Aluminum	ug/L	200	<50	<50
Antimony	ug/L	5.5	<5.0	<5.0
Arsenic	ug/L	6.0	<2.0	<2.0
Barium	ug/L	80	<20	24
Beryllium	ug/L	2.5	<1.0	<1.0
Boron	ug/L	400	<100	<100
Cadmium	ug/L	2.0	<0.50	<0.50
Chromium	ug/L	20	<5.0	<5.0
Cobalt	ug/L	40	<10	<10
Copper	ug/L	20	<5.0	<5.0
Iron	ug/L	80	<20	75
Lead	ug/L	4.0	<1.0	<1.0
Lithium	ug/L	32	<8.0	<8.0
Manganese	ug/L	80	<20	<20
Mercury	ng/L	2.00	0.680 e,s	0.535
Molybdenum	ug/L	40	<10	<10
Nickel	ug/L	100	<25	<25
Selenium	ug/L	4.0	<1.0	<1.0 e
Silver	ug/L	0.80	<0.20	<0.20
Strontium	ug/L	200	59	77
Thallium	ug/L	2.0	<2.0	<2.0
Vanadium	ug/L	4.0	<2.0	<1.0
Zinc	ug/L	40	<10	<10
Major Anions				
Alkalinity, Bicarbonate	mg/L	42	40	45
Alkalinity, Carbonate	mg/L	8.0	<2.0 e	<2.0
Chloride	mg/L	4.0	58	120
Fluoride	mg/L	0.40	<0.10	<0.10
Nitrogen, Nitrate	mg/L	0.22	0.98 e	1.0
Sulfate	mg/L	8.0	3.5	4.3
Major Cations				
Calcium	mg/L	11	31	51 e
Magnesium	mg/L	3.0	6.4	9.7
Potassium	mg/L	2.0	1.2	1.8
Sodium	mg/L	2.0	5.5	19
General				
Hardness	mg/L	40	104	167

Explanations of abbreviations are included on the final page of this table.

QAL070A (NCWIB)