

**2018 Q4 - Mine Permit Surface Water Quality Monitoring Data
MWQQ-004 (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended Benchmark 2018				
		Q4	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	NM	NM	NM	NM
ORP	mV	-	NM	NM	NM	NM
pH	SU	-	NM	NM	NM	NM
Specific Conductance	uS/m	-	NM	NM	NM	NM
Temperature	C	-	NM	NM	NM	NM
Turbidity	NTU	-	NM	NM	NM	NM
Flow	cfs	-	NM	NM	NM	NM
Metals						
Aluminum	ug/L	-	NM	NM	NM	NM
Antimony	ug/L	-	NM	NM	NM	NM
Arsenic	ug/L	-	NM	NM	NM	NM
Barium	ug/L	-	NM	NM	NM	NM
Beryllium	ug/L	-	NM	NM	NM	NM
Boron	ug/L	-	NM	NM	NM	NM
Cadmium	ug/L	-	NM	NM	NM	NM
Chromium	ug/L	-	NM	NM	NM	NM
Cobalt	ug/L	-	NM	NM	NM	NM
Copper	ug/L	-	NM	NM	NM	NM
Iron	ug/L	-	NM	NM	NM	NM
Lead	ug/L	-	NM	NM	NM	NM
Lithium	ug/L	-	NM	NM	NM	NM
Manganese	ug/L	-	NM	NM	NM	NM
Mercury	ng/L	-	NM	NM	NM	NM
Molybdenum	ug/L	-	NM	NM	NM	NM
Nickel	ug/L	-	NM	NM	NM	NM
Selenium	ug/L	-	NM	NM	NM	NM
Silver	ug/L	-	NM	NM	NM	NM
Thallium	ug/L	-	NM	NM	NM	NM
Vanadium	ug/L	-	NM	NM	NM	NM
Zinc	ug/L	-	NM	NM	NM	NM
Major Anions						
Alkalinity, Bicarbonate	mg/L	-	NM	NM	NM	NM
Alkalinity, Carbonate	mg/L	-	NM	NM	NM	NM
Chloride	mg/L	-	NM	NM	NM	NM
Fluoride	mg/L	-	NM	NM	NM	NM
Nitrogen, Ammonia	mg/L	-	NM	NM	NM	NM
Nitrogen, Nitrate	mg/L	-	NM	NM	NM	NM
Nitrogen, Nitrite	mg/L	-	NM	NM	NM	NM
Sulfate	mg/L	-	NM	NM	NM	NM
Sulfide	mg/L	-	NM	NM	NM	NM
Major Cations						
Calcium	mg/L	-	NM	NM	NM	NM
Magnesium	mg/L	-	NM	NM	NM	NM
Potassium	mg/L	-	NM	NM	NM	NM
Sodium	mg/L	-	NM	NM	NM	NM
General						
Hardness	mg/L	-	NM	NM	NM	NM
Total Dissolved Solids	mg/L	-	NM	NM	NM	NM
Total Suspended Solids	mg/L	-	NM	NM	NM	NM

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
HW-1L (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.75	0.45	1.29	1.29
ORP	mV	-	274.5	-298.6	-284.1	-291.9
pH	SU	8.14-9.14	8.49	8.48	8.33	8.54
Specific Conductance	uS/cm	-	382.5	385.1	377.6	390
Temperature	C	-	7.9	9.69	9.03	8.1
Turbidity	NTU	-	3.54	2.99	4.65	1.92
Water Elevation	ft MSL	-	1458.45	1512.15	-	1446.68
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.18	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	745.21	-	-	621	-
Cadmium	ug/L	3.000	-	-	<0.10	-
Chromium	ug/L	40	-	-	<0.10	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	1186.83	446	831	795	861
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	23.04	-	-	15.7	-
Manganese	ug/L	200	< 50	< 50	<1.1	<50.0
Mercury	ng/L	4.0	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20	0.17	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.8	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	40	< 10	< 10	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	109.06	80	80.3	81.6	82.9
Alkalinity, Carbonate	mg/L	7.8	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	57.2	44.8	44.5	44.4	42.2
Fluoride	mg/L	2.5	< 1.0	< 1.0	<0.032	<1.0
Nitrogen, Ammonia	mg/L	0.1	< 0.025	< 0.025	<0.004	< 0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.10	<0.0089	< 0.10
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.10	0.007	< 0.10
Sulfate	mg/L	33.01	25.4	27.3	25.1	27.7
Sulfide	mg/L	0.8	< 0.20	< 0.20	<0.011	<0.20
Major Cations						
Calcium	mg/L	34.39	25.4	25.9	27.5	25.7
Magnesium	mg/L	14.63	10.4	10.8	11.1	11.4
Potassium	mg/L	6.17	1.8	1.8	1.8	1.8
Sodium	mg/L	28.01	21.9	22.9	22.6	23.0
General						
Hardness	mg/L	155.68	139	120	114	111
		-				
		-				

**2018 Q4 Mine Permit Groundwater Quality Monitoring Data
HW-1U LLA (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.68	0.54	1.28	1.64
ORP	mV	-	-91.4	-183.4	-215.6	-238.1
pH	SU	8.06-9.06	9.43	8.95	8.31	8.42
Specific Conductance	uS/cm	-	523.1	449.1	432.8	449.1
Temperature	C	-	6.4	10.24	9.34	6.8
Turbidity	NTU	-	893	126.4	4.52	6.98
Water Elevation	ft MSL	-	1521.55	1475.83	1490.34	1478.88
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<2.0	-
Arsenic	ug/L	9.6	8.6	< 5.0	<0.10	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	<8.4	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.99	-
Cobalt	ug/L	80	-	-	<20.0	-
Copper	ug/L	8.56	7.7	< 4.0	<4.0	<4.0
Iron	ug/L	56769.6	45200	< 200	<13.0	262
Lead	ug/L	15.0	86.7	< 3.0	<0.10	<3.0
Lithium	ug/L	17.39	-	-	13.0	-
Manganese	ug/L	672.84	455	< 50.0	<1.1	<50.0
Mercury	ng/L	14.2	3.95	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	0.78	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.20	-
Thallium	ug/L	2.0	-	-	<2.0	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	44.15	33.8	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	156.67	48.5	93.6	111	116
Alkalinity, Carbonate	mg/L	64.24	82.8	21.7	<2.0	<2.0
Chloride	mg/L	61.2	90.1	21.4	20.8	17.6
Fluoride	mg/L	2.5	< 1.0	< 1.0	<0.032	<1.0
Nitrogen, Ammonia	mg/L	0.299	0.567	0.266	0.177	0.156
Nitrogen, Nitrate	mg/L	0.57	0.129	< 0.10	<0.0089	< 0.10
Nitrogen, Nitrite	mg/L	0.78	< 0.1	0.115	0.006	< 0.10
Sulfate	mg/L	395.42	299	84.9	58.0	56.0
Sulfide	mg/L	0.80	< 5.0	< 1.0	<0.011	<0.20
Major Cations						
Calcium	mg/L	61.29	64	6.5	25.1	25.0
Magnesium	mg/L	25.82	26.4	2	9.3	8.9
Potassium	mg/L	16.88	5.3	3.4	3.6	3.0
Sodium	mg/L	134.27	136	80.2	42.8	42.7
General						
Hardness	mg/L	170.91	30	28	101	99.0
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
HW-1U UFB (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.48	0.52	1.2	1.17
ORP	mV	-	-281.4	-291.1	-364.5	-353.5
pH	SU	8.4-9.4	8.94	8.67	8.77	8.7
Specific Conductance	uS/cm	-	182.8	158.5	202.2	243.7
Temperature	C	-	5.7	8.95	10.63	8.0
Turbidity	NTU	-	4.72	29.32	5.06	7.83
Water Elevation	ft MSL	-	1531.72	1532.65	1533.35	1534.85
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	9.3	< 5.0	< 5.0	0.37	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	51.6	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.44	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	1364.17	<200	< 200	344	449
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	16.74	-	-	<4.6	-
Manganese	ug/L	80.14	< 50	79	54.7	<50.0
Mercury	ng/L	4.0	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	0.31	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	40	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	121.72	81.0	141.0	70.6	102
Alkalinity, Carbonate	mg/L	17.08	< 2.0	< 2.0	8.0	<2.0
Chloride	mg/L	96.09	< 10	< 10.0	<0.72	<10.0
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.058	<1.0
Nitrogen, Ammonia	mg/L	0.097	0.028	< 0.025	<0.004	< 0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	<0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	0.005	< 0.1
Sulfate	mg/L	72.34	2.1	1.5	<0.86	1.4
Sulfide	mg/L	2.47	< 0.20	< 0.20	0.023	<0.20
Major Cations						
Calcium	mg/L	34.03	14.8	14.6	19.6	24.9
Magnesium	mg/L	15.63	5.5	4.3	5.4	6.8
Potassium	mg/L	20.91	3.4	2.9	3.1	3.6
Sodium	mg/L	67.74	7.7	6	5.8	5.5
General						
Hardness	mg/L	146.74	88.2	56	71.1	90.1
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
HW-2 (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.49	1.36	1.35	1.42
ORP	mV	-	-231.9	-227.1	-243.6	-256.2
pH	SU	7.29-8.29	8.07	8.29	8.21	8.72
Specific Conductance	uS/cm	-	699.2	675.1	613.3	594.5
Temperature	C	-	10.1	10.41	9.43	8.5
Turbidity	NTU	-	356.1	29.15	19.91	80.4
Water Elevation	ft MSL	-	1533.17	1534.04	1534.96	1536.18
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.25	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	99.5	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.42	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	2594.79	912	426	683	<200
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	40	-	-	<4.6	-
Manganese	ug/L	333.37	304	282	284	136
Mercury	ng/L	4.0	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	0.36	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	40	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	141.40	99	95.6	88.6	87.3
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	34.7	33.5	32.8	28.9	27.3
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.088	<1.0
Nitrogen, Ammonia	mg/L	0.083	<0.025	< 0.025	<0.004	0.0376
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.10	<0.0089	< 0.10
Nitrogen, Nitrite	mg/L	0.4	<0.1	< 0.10	<0.0037	< 0.10
Sulfate	mg/L	175.33	135	169	154	163
Sulfide	mg/L	0.52	< 0.20	< 0.20	<0.20	0.54
Major Cations						
Calcium	mg/L	71.88	57	56.3	54.6	48.1
Magnesium	mg/L	26.49	22.7	22.5	20.6	19.9
Potassium	mg/L	6.12	5.1	4.6	4.3	4.4
Sodium	mg/L	29.55	33.8	30.6	34.6	37.8
General						
Hardness	mg/L	296.9	161	246	221	202
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
HW-8U (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	2.87	2.05	1.59	1.50
ORP	mV	-	-86.4	-82.7	-96.6	-116.6
pH	SU	6.4-7.4	6.84	6.8	6.6	6.75
Specific Conductance	uS/cm	-	454.6	430.1	474.8	486.2
Temperature	C	-	6.1	8.95	9.54	8.5
Turbidity	NTU	-	7.35	2.97	2.36	4.32
Water Elevation	ft MSL	-	1533.04	1534.72	1534.5	-
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4	-	-	<0.80	-
Arsenic	ug/L	8.8	8.5	8.3	9.9	8.2
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	29.7	-
Cadmium	ug/L	3	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.59	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	22048.83	8810	9490	9740	9820
Lead	ug/L	9	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	14.39	-	-	<4.6	-
Manganese	ug/L	6267.76	5820	6220	6040	5940
Mercury	ng/L	4	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	<0.10	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.8	-	-	<0.10	-
Thallium	ug/L	2	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	26.73	< 10	< 10.0	3.4	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	214.17	154	154	160	170
Alkalinity, Carbonate	mg/L	8	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	18.35	18.9	18.6	20.3	20.5
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.091	<1.0
Nitrogen, Ammonia	mg/L	0.041	< 0.025	< 0.025	0.0417	< 0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	<0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	<0.0037	< 0.1
Sulfate	mg/L	12.26	13.2	13	13.7	15.7
Sulfide	mg/L	0.8	< 0.20	< 0.20	<0.011	<0.20
Major Cations						
Calcium	mg/L	45.93	40.2	43	45.1	46.8
Magnesium	mg/L	18.68	12.5	13.2	13.4	13.6
Potassium	mg/L	3.64	3.1	3.5	3.4	3.6
Sodium	mg/L	4.26	4.2	4.5	4.5	4.6
General						
Hardness	mg/L	203.47	157	188	168	173
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
HYG-1 (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.66	0.51	1.29	0.27
ORP	mV	-	33.4	19.5	-30.6	91.6
pH	SU	6.29-7.29	6.81	6.76	6.79	6.72
Specific Conductance	uS/cm	-	761.3	714.1	567.4	621.4
Temperature	C	-	7.6	7.61	9.26	8.7
Turbidity	NTU	-	1.11	1.39	1.59	0.95
Water Elevation	ft MSL	-	1532.87	1533.26	1534.55	1531.03
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	8.9	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.37	<5.0
Barium	ug/L	400	-	-	68.2	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	83.1	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.22	-
Cobalt	ug/L	80	-	-	0.98	-
Copper	ug/L	9.22	12.3	< 4.0	4.0	<4.0
Iron	ug/L	481.9	<200	< 200	<13.0	<200
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	40	-	-	<4.6	-
Manganese	ug/L	627.41	671	653	587	647
Mercury	ng/L	37.3	7.99	22.1	36.0	39.3
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	0.55	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	0.044	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	25.31	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	372.91	259	253	177	189
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	21.5	11	12.9	15.5	17.3
Fluoride	mg/L	2.5	< 1.0	< 1.0	<0.032	<1.0
Nitrogen, Ammonia	mg/L	0.56	0.333	0.306	0.266	0.215
Nitrogen, Nitrate	mg/L	0.08	< 0.1	< 0.10	0.239	< 0.10
Nitrogen, Nitrite	mg/L	0.40	< 0.1	< 0.10	0.005	< 0.10
Sulfate	mg/L	136.69	122	78.3	87.6	105
Sulfide	mg/L	0.80	< 0.20	< 0.20	<0.011	<0.20
Major Cations						
Calcium	mg/L	65.21	58.1	47.6	47.6	48.5
Magnesium	mg/L	34.32	28.1	23.8	22.8	25.6
Potassium	mg/L	12.96	11.1	10.6	9.8	10.3
Sodium	mg/L	80.47	49	54.6	28.5	30.3
General						
Hardness	mg/L	321.93	284	234	213	227
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
KMW-5R (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q3 2018 Filtered	Q4 2018
Field							
D.O.	ppm	-	5.08	2.87	7.57	7.57	4.93
ORP	mV	-	14	84.7	131.6	131.6	184.3
pH	SU	6.67-7.67	7.15	6.98	6.99	6.99	7.02
Specific Conductance	uS/cm	-	868.5	906.3	848.1	848.1	897.5
Temperature	C	-	7.7	14.4	14.86	14.86	7.9
Turbidity	NTU	-	2076.5	761.66	89.6	89.6	254.79
Water Elevation	ft MSL	-	1554.17	1557.56	1560.68	1560.68	1562.48
Metals							
Aluminum	ug/L	200	-	-	623	<31.0	-
Antimony	ug/L	4	-	-	<0.80	<0.80	-
Arsenic	ug/L	7.5	18.4	15.6	<0.10	<0.10	<5.0
Barium	ug/L	400	-	-	<0.10	<0.10	-
Beryllium	ug/L	2.5	-	-	<1.0	<0.10	-
Boron	ug/L	1200	-	-	95.7	99.5	-
Cadmium	ug/L	3	-	-	<0.10	<0.10	-
Chromium	ug/L	40	-	-	0.86	0.13	-
Cobalt	ug/L	80	-	-	<0.40	0.42	-
Copper	ug/L	28.32	51.8	43.6	<4.0	0.42	<4.0
Iron	ug/L	52956	91200	129000	3940	<13.0	1560
Lead	ug/L	9	6.4	6.1	0.31	<0.10	<3.0
Lithium	ug/L	31.39	-	-	10.9	14.2	-
Manganese	ug/L	2789	2330	2070	1200	1190	1010
Mercury	ng/L	14.89	24.1	17.8	<1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	<0.20	-
Nickel	ug/L	80	47.4	48.8	<20.0	<0.10	<20.0
Selenium	ug/L	20	-	-	<1.0	<1.0	-
Silver	ug/L	0.8	-	-	<0.10	<0.10	-
Thallium	ug/L	2	-	-	<2.0	<0.040	-
Vanadium	ug/L	-	-	-	<4.0	<1.4	-
Zinc	ug/L	23.65	33.9	22.8	1.9	1.8	<10.0
Major Anions							
Alkalinity, Bicarbonate	mg/L	480.97	372	384	386	-	394
Alkalinity, Carbonate	mg/L	8	< 2.0	< 2.0	<2.0	-	<2.0
Chloride	mg/L	191.74	< 10	< 10.0	<0.72	-	<10.0
Fluoride	mg/L	2.5	<1.0	< 1.0	0.053	-	<1.0
Nitrogen, Ammonia	mg/L	0.063	<0.025	<0.025	<0.004	-	<0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	0.026	-	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	0.005	-	< 0.1
Sulfate	mg/L	138.86	86.9	91.4	84.5	-	75.2
Sulfide	mg/L	0.8	<0.62	< 1.0	<0.011	-	<0.20
Major Cations							
Calcium	mg/L	166.39	123	115	119	-	111
Magnesium	mg/L	65.48	55.4	63.3	44.0	-	40.4
Potassium	mg/L	8.30	7.8	8.2	7.1	-	7.2
Sodium	mg/L	7.71	8.5	8.2	8.9	-	9.3
General							
Hardness	mg/L	757.06	490	512	479	-	443
		-					
		-					

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-9R (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	1.81	1.63	3.08	3.00
ORP	mV	-	215.7	161.4	170.6	136.4
pH	SU	5.4-6.4	5.89	6.11	5.87	6.04
Specific Conductance	uS/cm	-	364.3	238.9	435.2	405.1
Temperature	C	-	5.8	11.01	13.45	10.8
Turbidity	NTU	-	2.57	4.02	2.14	3.61
Water Elevation	ft MSL	-	1595.96	1597.1	1595.05	1596.77
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	<0.10	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	76.4	-
Cadmium	ug/L	3.0	-	-	0.10	-
Chromium	ug/L	40	-	-	<0.10	-
Cobalt	ug/L	80	-	-	0.73	-
Copper	ug/L	38.92	5.4	< 4.0	<0.20	<4.0
Iron	ug/L	4098.78	< 200	< 200	15.5	<200
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	40	-	-	<4.6	-
Manganese	ug/L	1376.02	124	< 50.0	66.0	53.4
Mercury	ng/L	10.07	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	185.91	116	76.1	66.0	86.9
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	38.14	37.1	30.5	18.1	20.5
Major Anions						
Alkalinity, Bicarbonate	mg/L	85.44	28.8	28.3	78.6	46.0
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	184.87	20	12.4	13.0	31.4
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.098	<1.0
Nitrogen, Ammonia	mg/L	0.22	< 0.025	< 0.025	<0.004	< 0.025
Nitrogen, Nitrate	mg/L	3.8	0.949	0.355	0.279	0.683
Nitrogen, Nitrite	mg/L	0.4	<0.1	< 0.10	<0.004	< 0.10
Sulfate	mg/L	334.5	135	46.6	97.9	96.2
Sulfide	mg/L	0.80	< 0.20	< 0.20	<0.011	<0.20
Major Cations						
Calcium	mg/L	116.03	35.9	18	47.1	42.1
Magnesium	mg/L	41.43	12.5	6.8	16.4	13.8
Potassium	mg/L	5.21	2.6	1.6	3.0	2.7
Sodium	mg/L	47.56	6.7	6.5	10.6	9.3
General						
Hardness	mg/L	479.44	161	76	185	162
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-701 QAL (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	4.15	6.29	6.02	3.7
ORP	mV	-	179.8	271.5	207.6	155.8
pH	SU	-	6.11	5.92	5.58	5.53
Specific Conductance	uS/cm	-	222.4	131.4	883.5	1905.3
Temperature	C	-	4.24	8.61	10.68	7.0
Turbidity	NTU	-	2.57	1.49	1.79	1.75
Water Elevation	ft MSL	-	1531.67	1533.00	1533.69	1534.91
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.32	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	17.3	-
Cadmium	ug/L	3	-	-	0.15	-
Chromium	ug/L	40	-	-	0.80	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	0.53	<4.0
Iron	ug/L	497.99	< 200	< 200	<13.0	<200
Lead	ug/L	9	< 3.0	< 3.0	<3.0	<3.0
Lithium	ug/L	40	-	-	<4.6	-
Manganese	ug/L	5262.51	50.4	< 50.0	<1.1	<50.0
Mercury	ng/L	8.44	1.34	< 1.0	<1.0	1.64
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	<0.10	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.8	-	-	<0.10	-
Thallium	ug/L	2	-	-	0.048	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	40	< 10	< 10.0	<10.0	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	117.82	58.6	36.1	34.5	33.8
Alkalinity, Carbonate	mg/L	8	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	22.96	13.2	< 10.0	243	602
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.071	<1.0
Nitrogen, Ammonia	mg/L	0.402	< 0.025	< 0.025	<0.004	< 0.025
Nitrogen, Nitrate	mg/L	1.87	0.777	0.65	0.779	0.899
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.10	0.004	< 0.10
Sulfate	mg/L	85.65	20.2	14.8	11.0	12.4
Sulfide	mg/L	0.8	< 0.20	< 0.20	<0.20	<0.20
Major Cations						
Calcium	mg/L	43.04	18.9	8.9	69.4	90.7
Magnesium	mg/L	18.63	7.3	4	28.7	35.6
Potassium	mg/L	8.95	3.0	2.1	6.2	12.5
Sodium	mg/L	11.68	7.2	6.3	46.8	251
General						
Hardness	mg/L	199.04	106	40	292	373
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-701 UFB (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.50	0.81	1.33	1.32
ORP	mV	-	-207.2	-212.1	-219.7	-220.7
pH	SU	6.71-7.71	7.48	7.41	7.41	7.52
Specific Conductance	uS/cm	-	387.5	413.7	402.3	410.3
Temperature	C	-	6.7	8.78	8.45	7.3
Turbidity	NTU	-	76.07	16.54	35.51	37.03
Water Elevation	ft MSL	-	1532.06	1533.38	1533.88	1534.72
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.14	<5.0
Barium	ug/L	157.47	-	-	141	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	53.5	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.14	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	45.38	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	24957.73	15000	14800	14300	19400
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	12.91	-	-	7.9	-
Manganese	ug/L	4677.42	2260	2170	2030	1880
Mercury	ng/L	4.0	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	<0.10	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	13.83	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	161.71	145	147	157	150
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	48.85	< 10	11.1	11.2	14.5
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.087	<1.0
Nitrogen, Ammonia	mg/L	1.75	< 0.025	< 0.025	0.0063	< 0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	<0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	0.004	< 0.1
Sulfate	mg/L	52.19	19.6	13.9	11.3	7.1
Sulfide	mg/L	1.86	< 0.20	< 0.20	<0.011	<0.20
Major Cations						
Calcium	mg/L	38.59	34.6	36.1	38.7	37.4
Magnesium	mg/L	16.16	14.8	14.8	15.0	13.9
Potassium	mg/L	8.53	2.7	3.4	3.3	3.7
Sodium	mg/L	33.46	4.5	5.1	5.1	5.6
General						
Hardness	mg/L	163.25	176	154	158	151
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-702 QAL (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	1.3	1.89	1.75	0.58
ORP	mV	-	-47.1	112.1	-55.1	226.1
pH	SU	8.81-9.91	9.96	9.82	8.15	7.19
Specific Conductance	uS/cm	-	421.6	426.1	365.5	-
Temperature	C	-	6.8	7.41	7.81	-
Turbidity	NTU	-	1.78	4.15	34.37	-
Water Elevation	ft MSL	-	1530.82	1531.72	-	-
Metals						
Aluminum	ug/L	122.72	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	5.3	<0.10	<5.0
Barium	ug/L	195.71	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	22.6	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.65	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	800	< 200	< 200	<13.0	<200
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	40	-	-	<4.6	-
Manganese	ug/L	545.68	< 50	< 50.0	<1.1	<50.0
Mercury	ng/L	3.55	1.49	1.92	2.05	2.30
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	0.88	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	-	-	-	3.2	-
Zinc	ug/L	40	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	160.17	75.8	35.5	111	110
Alkalinity, Carbonate	mg/L	40.7	8.1	39.4	<2.0	<2.0
Chloride	mg/L	17.58	< 10	< 10.0	<10.0	<10.0
Fluoride	mg/L	2.5	< 1.0	< 1.0	<1.0	<1.0
Nitrogen, Ammonia	mg/L	0.042	<0.025	< 0.025	< 0.025	< 0.025
Nitrogen, Nitrate	mg/L	1.24	1.06	0.837	0.352	0.266
Nitrogen, Nitrite	mg/L	0.18	0.127	0.103	<0.1	<0.1
Sulfate	mg/L	133.19	59.8	57.5	54.3	54.6
Sulfide	mg/L	0.80	< 0.20	< 0.20	<0.20	<0.20
Major Cations						
Calcium	mg/L	78.82	28.9	23.4	24.1	22.9
Magnesium	mg/L	14.06	6.2	3.9	6.5	8.0
Potassium	mg/L	22.00	13.9	14.9	10.2	7.8
Sodium	mg/L	60.14	40.4	57.5	34.7	31.3
General						
Hardness	mg/L	251.25	114	80	87.1	90.0
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-702 UFB (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	1.29	2.39	2.26	1.38
ORP	mV	-	-194.1	-176.1	185.6	-216.2
pH	SU	7.11-8.11	8.06	8.06	7.69	7.97
Specific Conductance	uS/cm	-	260.3	269.1	180.8	279.6
Temperature	C	-	7.02	13.68	8.92	6.7
Turbidity	NTU	-	5.01	11.84	11.72	18.05
Water Elevation	ft MSL	-	1518.19	1522.42	1519.93	1512.39
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.15	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	97.9	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	<0.10	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	1328.38	623	954	1240	791
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	12.91	-	-	4.9	-
Manganese	ug/L	118.08	89.1	90	98.0	83.7
Mercury	ng/L	4.0	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	0.11	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	76.03	< 10	<10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	111.84	96.5	181	90.0	88.4
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	40	< 10	< 10.0	<0.72	<10.0
Fluoride	mg/L	2.5	< 1.0	< 1.0	<0.032	<1.0
Nitrogen, Ammonia	mg/L	0.087	< 0.025	< 0.025	< 0.025	< 0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	<0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	0.007	< 0.1
Sulfate	mg/L	36.1	33.1	30.9	28.7	29.2
Sulfide	mg/L	0.80	< 0.20	< 0.20	<0.011	<0.20
Major Cations						
Calcium	mg/L	38.98	27.9	29.2	28.7	28.8
Magnesium	mg/L	11.74	8.8	9.2	9.2	9.3
Potassium	mg/L	11.24	2.7	3	3.3	3.0
Sodium	mg/L	5.20	2.8	3	3.0	3.0
General						
Hardness	mg/L	139.94	139	116	110	110
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-703 QAL (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	6.00	5.83	6.18	8.75
ORP	mV	-	229.1	260.1	110.6	353.1
pH	SU	6.3-7.3	6.19	6.29	6.1	5.68
Specific Conductance	uS/cm	-	199.1	203.1	206.3	180.3
Temperature	C	-	5.90	7.04	7.48	5.9
Turbidity	NTU	-	1.49	1.47	1.57	1.63
Water Elevation	ft MSL	-	1533.96	1533.42	1533.02	1533.14
Metals						
Aluminum	ug/L	200	-	-	<50.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	<5.0	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	<300	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	<0.10	-
Cobalt	ug/L	80	-	-	<20.0	-
Copper	ug/L	16	< 4.0	< 4.0	0.37	<4.0
Iron	ug/L	286.57	< 200	< 200	<200	<200
Lead	ug/L	9.0	< 3.0	< 3.0	<3.0	<3.0
Lithium	ug/L	40	-	-	<4.6	-
Manganese	ug/L	106.54	< 50	< 50.0	<50.0	<50.0
Mercury	ng/L	4.0	< 1.0	< 1.0	1.41	<1.0
Molybdenum	ug/L	200	-	-	0.23	-
Nickel	ug/L	80	< 20	< 20.0	<0.10	<20.0
Selenium	ug/L	20	-	-	1.1	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	40	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	92.34	54.5	54.7	54.0	53.3
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	40	< 10	< 10.0	<0.72	<10.0
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.059	<1.0
Nitrogen, Ammonia	mg/L	0.082	< 0.025	< 0.025	< 0.025	< 0.025
Nitrogen, Nitrate	mg/L	1.81	1.82	1.31	2.02	1.68
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	<0.0037	< 0.1
Sulfate	mg/L	40.56	29	28.7	27.6	26.4
Sulfide	mg/L	0.80	< 0.20	< 0.20	<0.011	<0.20
Major Cations						
Calcium	mg/L	31.29	18.5	18.9	19.5	17.0
Magnesium	mg/L	9.83	7.9	7.9	8.4	8.0
Potassium	mg/L	2.57	1.6	1.5	1.5	1.4
Sodium	mg/L	7.74	2	1.9	2.0	1.9
General						
Hardness	mg/L	115.53	106	84	83.2	75.5
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-703 UFB (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	2.61	0.87	1.6	1.32
ORP	mV	-	-231.5	-234.1	-234.7	-289.3
pH	SU	7.44-8.44	8.19	8.16	8.04	8.41
Specific Conductance	uS/cm	-	293.3	291.6	288.0	309.4
Temperature	C	-	5.1	11.11	8.72	6.1
Turbidity	NTU	-	2.32	2.58	2.03	0.92
Water Elevation	ft MSL	-	1532.09	1528.14	1512.14	1530.71
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.29	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	41.9	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.15	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	1902.7	1630	1640	1420	1820
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	40	-	-	<4.6	-
Manganese	ug/L	199.79	189	157	116	165
Mercury	ng/L	4.0	< 1.0	< 1.0	2.28	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	0.16	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	40	< 10	< 10.0	2.8	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	111.44	83	82.2	80.0	81.4
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	40	< 10	< 10.0	<0.72	<10.0
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.084	<1.0
Nitrogen, Ammonia	mg/L	0.75	< 0.025	< 0.025	< 0.025	< 0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	<0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	0.004	< 0.1
Sulfate	mg/L	49.32	46.1	45.5	42.3	44.9
Sulfide	mg/L	0.80	< 0.20	< 0.20	<0.011	<0.20
Major Cations						
Calcium	mg/L	42.87	30.5	32	30.3	30.0
Magnesium	mg/L	13.90	10	10.7	10.5	10.4
Potassium	mg/L	4.23	2.3	2.4	2.2	2.2
Sodium	mg/L	17.31	2.8	3.0	3.0	3.0
General						
Hardness	mg/L	173.44	147	130	119	118
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-703 LLA (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.42	0.52	1.18	1.27
ORP	mV	-	-289.1	-298.1	-259.4	-275.9
pH	SU	8.08-9.08	8.43	8.31	8.13	8.48
Specific Conductance	uS/cm	-	279.6	281.2	276.8	298.9
Temperature	C	-	6.3	8.75	9.2	6.4
Turbidity	NTU	-	2.94	17.63	3.68	5.82
Water Elevation	ft MSL	-	1530.84	*	1534.52	1535.74
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.16	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	<8.4	-
Cadmium	ug/L	3	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.19	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	2081.98	817	699	715	597
Lead	ug/L	9	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	28.08	-	-	7.4	-
Manganese	ug/L	94.53	81.2	92.4	81.1	59.6
Mercury	ng/L	4	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20.0	< 20.0	0.14	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.8	-	-	<0.10	-
Thallium	ug/L	2	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	40	< 10.0	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	92.11	81	79.2	80.5	79.4
Alkalinity, Carbonate	mg/L	10.41	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	96.57	10.8	10.2	11.6	10.8
Fluoride	mg/L	2.5	< 1.0	< 1.0	<0.032	<1.0
Nitrogen, Ammonia	mg/L	0.076	< 0.025	< 0.025	< 0.025	< 0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	< 0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	<0.0037	< 0.1
Sulfate	mg/L	43.42	33	32.4	32.9	32.1
Sulfide	mg/L	0.8	< 0.20	< 0.20	0.025	<0.20
Major Cations						
Calcium	mg/L	33.74	25.3	27.4	26.8	24.4
Magnesium	mg/L	12.29	10	10.3	10.4	10.5
Potassium	mg/L	7.73	3	2.9	2.7	2.9
Sodium	mg/L	51.07	6.3	5.9	6.4	7.5
General						
Hardness	mg/L	134.66	131	118	110	104

*- Diver failed on 3/22/18, replaced 5/16/18

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-703 DBA (Monitoring)- Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.89	0.9	1.46	1.5
ORP	mV	-	-255.7	-239.6	-270	-226.4
pH	SU	8.89-9.89	8.98	8.38	8.81	8.41
Specific Conductance	uS/cm	-	300.4	308.4	293.8	316.3
Temperature	C	-	5.7	9.98	8.5	5.8
Turbidity	NTU	-	1.08	2.98	2.1	1.34
Water Elevation	ft MSL	-	1531.35	1532.32	1533.21	1534.4
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.31	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	<8.4	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.27	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	861.32	< 200	< 200	257	<200
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	19.81	-	-	10.2	-
Manganese	ug/L	200	< 50	< 50.0	<1.1	<50.0
Mercury	ng/L	4.0	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20.0	< 20.0	0.18	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	26.21	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	87.85	82	81.8	69.0	84.4
Alkalinity, Carbonate	mg/L	38.7	< 2.0	< 2.0	8.0	<2.0
Chloride	mg/L	20	15.3	15.5	15.8	15.7
Fluoride	mg/L	2.5	< 1.0	< 1.0	<0.032	<1.0
Nitrogen, Ammonia	mg/L	0.12	< 0.025	0.0352	< 0.025	< 0.025
Nitrogen, Nitrate	mg/L	0.86	< 0.1	< 0.1	< 0.1	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	< 0.1	< 0.1
Sulfate	mg/L	72.78	99.8	34.3	31.0	30.5
Sulfide	mg/L	1.27	< 0.20	0.33	<0.20	0.62
Major Cations						
Calcium	mg/L	27.00	25	15	26.3	23.6
Magnesium	mg/L	17.28	11.1	6.2	10.3	11.3
Potassium	mg/L	29.63	7.6	24.9	8.1	7.4
Sodium	mg/L	16.16	7.5	13	7.9	7.2
General						
Hardness	mg/L	139.55	137	80	108	105
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-704 QAL (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm		0.76	1.72	1.21	0.41
ORP	mV		147.6	137.7	153.5	-30.0
pH	SU	5.43-6.43	5.85	5.83	5.75	6.26
Specific Conductance	uS/cm		371.8	384.4	389.4	690.4
Temperature	C		5.2	10.52	11.21	8.7
Turbidity	NTU		17.89	5.22	8.46	1.54
Water Elevation	ft MSL		1533.29	1534.52	1534.57	1534.54
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.27	8.5
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	25.7	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	<0.10	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	0.94	<4.0
Iron	ug/L	84519.23	< 200	3590	<13.0	78600
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	40	-	-	<4.6	-
Manganese	ug/L	8782.76	689	1900	594	5000
Mercury	ng/L	34.7	< 1.0	2.85	1.20	4.58
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	<0.10	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	16	-	-	<1.4	-
Zinc	ug/L	37.8	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	264.36	78.8	94.1	61.7	199
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	23.77	16.9	14.3	19.6	<10.0
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.038	<1.0
Nitrogen, Ammonia	mg/L	0.19	< 0.025	0.29	<0.004	2.47
Nitrogen, Nitrate	mg/L	1.47	1.15	0.721	0.882	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	<0.0037	< 0.1
Sulfate	mg/L	44.8	54.7	51.8	83.9	28.6
Sulfide	mg/L	0.80	< 0.20	< 0.20	<0.011	<0.20
General						
Calcium	mg/L	47.35	32.9	33.6	35.1	40.9
Magnesium	mg/L	14.76	12.2	11.9	12.4	13.7
Potassium	mg/L	6.10	2.3	3.2	2.5	7.4
Sodium	mg/L	32.26	10.7	14.2	13.0	22.3
General						
Hardness	mg/L	191.15	167	130	139	158
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-704 UFB (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm		0.97	0.81	1.39	0.29
ORP	mV		-108.1	-142.6	-138.1	-164.7
pH	SU	6.4-7.4	6.81	7	6.82	7.23
Specific Conductance	uS/cm		599.1	646.7	575.6	610.2
Temperature	C		7.4	7.61	9.34	8.4
Turbidity	NTU		39.98	6.45	3.33	16.85
Water Elevation	ft MSL		1533.89	1535.11	1535.21	1535.07
Metals						
Aluminum	ug/L	5824.36	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.18	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	27.7	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	<0.10	-
Cobalt	ug/L	80	-	-	0.59	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	44051.82	42900	47800	42300	36600
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	30.14	-	-	<4.6	-
Manganese	ug/L	1384.15	906	990	815	789
Mercury	ng/L	1.4	< 1.0	< 1.0	1.03	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	0.70	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	16	-	-	<1.4	-
Zinc	ug/L	40	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	198.18	158	154	131	144
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	24.46	21.6	24	26.0	26.2
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.040	<1.0
Nitrogen, Ammonia	mg/L	0.78	< 0.025	< 0.025	<0.004	< 0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	<0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.18	< 0.1	< 0.1	0.009	< 0.1
Sulfate	mg/L	45.37	44.1	47.4	71.2	72.9
Sulfide	mg/L	0.49	< 0.20	< 0.20	<0.011	<0.20
Major Cations						
Calcium	mg/L	66.63	52.7	56.2	50.9	56.6
Magnesium	mg/L	14.04	13.1	14	14.9	15.5
Potassium	mg/L	5.28	2.7	2.8	2.8	3.3
Sodium	mg/L	43.16	10.7	12.5	14.1	17.4
General						
Hardness	mg/L	226.12	216	184	188	205
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-704 LLA (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.54	0.44	1.24	1.29
ORP	mV	-	-260.4	-318.4	-257.1	-320.6
pH	SU	-	8.34	8.58	8.24	8.56
Specific Conductance	uS/cm	-	328.2	267.6	354.4	317.2
Temperature	C	-	4.1	10.13	9.72	8.6
Turbidity	NTU	-	3.58	22.86	37.12	11.98
Water Elevation	ft MSL	-	1533.36	1534.97	1531.72	1531.95
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.76	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	47.8	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	<0.10	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	3308.59	1130	2070	925	771
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	28.25	-	-	13.7	-
Manganese	ug/L	95.14	83.4	< 50.0	101	<50.0
Mercury	ng/L	4.0	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	0.11	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	16	-	-	<1.4	-
Zinc	ug/L	40	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	152.81	135	111	157	119
Alkalinity, Carbonate	mg/L	13.4	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	40	< 10	< 10.0	11.0	<10.0
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.083	<1.0
Nitrogen, Ammonia	mg/L	0.1	< 0.025	< 0.025	0.0295	< 0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	<0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	0.007	< 0.1
Sulfate	mg/L	20.79	10.3	8.3	9.9	7.3
Sulfide	mg/L	0.80	< 0.20	< 0.20	0.021	<0.20
Major Cations						
Calcium	mg/L	33.39	30.3	20.6	37.2	24.0
Magnesium	mg/L	15.62	13.7	13.9	15.6	14.6
Potassium	mg/L	12.01	5.9	6.8	5.4	6.1
Sodium	mg/L	15.49	4.5	4.8	4.7	4.6
General						
Hardness	mg/L	156.51	161	252	157	120
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-704 DBA (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.99	0.67	1.19	1.99
ORP	mV	-	-258.6	-251.1	-303.8	-224.5
pH	SU	8.13-9.13	8.46	8.4	8.46	8.46
Specific Conductance	uS/cm	-	263.2	262.4	266.1	271.9
Temperature	C	-	6.5	9.06	9.71	8.0
Turbidity	NTU	-	1.95	122.6	49.88	5.88
Water Elevation	ft MSL	-	*	1529.82	1529.52	1529.94
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	8.0	-	-	<0.80	-
Arsenic	ug/L	20.0	< 5.0	< 5.0	0.34	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	4.0	-	-	<0.10	-
Boron	ug/L	1480	-	-	<8.4	-
Cadmium	ug/L	4.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.15	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	9645	830	684	865	779
Lead	ug/L	12.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	40	-	-	11.7	-
Manganese	ug/L	58	< 50	< 50.0	<1.1	<50.0
Mercury	ng/L	4.0	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	<0.20	-
Nickel	ug/L	80	< 20	< 20.0	0.14	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	8.0	-	-	<0.040	-
Vanadium	ug/L	16	-	-	<1.4	-
Zinc	ug/L	11	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	129	132	132	127	142
Alkalinity, Carbonate	mg/L	32.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	40	< 10	< 10.0	<0.72	<10.0
Fluoride	mg/L	4.0	< 1.0	< 1.0	<0.032	<1.0
Nitrogen, Ammonia	mg/L	0.04	< 0.025	< 0.025	<0.004	< 0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	<0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	0.005	< 0.1
Sulfate	mg/L	6	< 1.0	< 1.0	<0.86	<1.0
Sulfide	mg/L	0.80	<0.20	< 0.20	0.017	<0.20
Major Cations						
Calcium	mg/L	27.00	21.8	21.3	22.4	22.7
Magnesium	mg/L	14.00	10.6	10.7	11.1	11.4
Potassium	mg/L	4.00	2.4	2.6	2.5	2.6
Sodium	mg/L	14.00	9.9	10	10	10.6
General						
Hardness	mg/L	111.00	125	110	102	103

* - Diver failed 9/6/17, replaced 3/15/18

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-705 QAL (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.63	0.63	1.77	1.48
ORP	mV	-	-92.4	-10.3	-12.1	-30.2
pH	SU	5.67-6.67	6.66	6.14	5.87	6.17
Specific Conductance	uS/cm	-	231.1	198.6	378.6	370.8
Temperature	C	-	5.1	5.61	11.88	7.8
Turbidity	NTU	-	7.48	2.46	2.18	1.11
Water Elevation	ft MSL	-	1533.76	1536.47	1535.61	1535.96
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	<0.10	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	32.0	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.35	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	0.44	<4.0
Iron	ug/L	12956.53	7440	4870	10300	9710
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	40	-	-	<4.6	-
Manganese	ug/L	1535.09	651	523	<55.0	<2500
Mercury	ng/L	1.8	< 1.0	1.04	<1.0	1.09
Molybdenum	ug/L	200	-	-	0.24	-
Nickel	ug/L	80	< 20	< 20.0	<0.10	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	16	-	-	<1.4	-
Zinc	ug/L	283.42	<10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	85.4	110	46	40.0	48.7
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	51.62	24.6	20.6	65.0	63.8
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.063	<1.0
Nitrogen, Ammonia	mg/L	0.132	0.095	0.0735	0.148	0.118
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	<0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	0.006	< 0.1
Sulfate	mg/L	21.2	2.4	7.6	2.9	2.7
Sulfide	mg/L	0.80	< 0.20	< 0.20	0.023	<0.20
Major Cations						
Calcium	mg/L	23.88	12.1	11.9	19.5	18.2
Magnesium	mg/L	10.91	5.6	5.4	8.5	8.3
Potassium	mg/L	3.03	2.1	1.9	2.8	2.6
Sodium	mg/L	16.56	12.3	12.2	17.6	18.7
General						
Hardness	mg/L	109.66	74	54	83.5	79.8

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-705 UFB (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.91	0.62	1.32	1.40
ORP	mV	-	-117.1	-145.5	-127.6	-95.1
pH	SU	6.59-7.59	6.96	7.01	6.88	7.04
Specific Conductance	uS/cm	-	387.6	337.8	344.8	366.0
Temperature	C	-	6.2	10.21	10.92	6.44
Turbidity	NTU	-	172.1	6.42	2.85	9.77
Water Elevation	ft MSL	-	1533.53	1536.76	1535.34	1537.91
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	0.39	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	30.5	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.62	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	0.74	<4.0
Iron	ug/L	13309.31	3960	9340	12100	7310
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	13.19	-	-	<4.6	-
Manganese	ug/L	972.64	1440	955	936	875
Mercury	ng/L	4.0	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	0.45	-
Nickel	ug/L	80	< 20	< 20.0	0.76	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	16	-	-	<1.4	-
Zinc	ug/L	34.43	< 10	< 10.0	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	117.78	101	84.2	79.6	88.3
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	35.98	30.9	32.3	36.1	35.4
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.079	<1.0
Nitrogen, Ammonia	mg/L	0.1	0.03	< 0.025	<0.004	< 0.025
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	<0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	<0.0037	< 0.1
Sulfate	mg/L	14.23	4.7	3.9	2.5	3.8
Sulfide	mg/L	0.80	< 0.20	< 0.20	<0.011	<0.20
Major Cations						
Calcium	mg/L	26.00	28.6	24.7	27.4	26.5
Magnesium	mg/L	13.29	15.5	12.6	13.7	13.3
Potassium	mg/L	4.01	3.4	3.1	3.5	3.8
Sodium	mg/L	3.37	3.0	2.7	2.9	3.2
General						
Hardness	mg/L	127.17	172	120	125	121
		-				
		-				

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-706 QAL (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.94	1.81	2.61	1.72
ORP	mV	-	63.6	75.5	66.3	75.3
pH	SU	5.74-6.74	6.02	5.93	5.75	5.88
Specific Conductance	uS/cm	-	991.4	1002.1	863.4	838.5
Temperature	C	-	7.8	9.21	9.47	7.9
Turbidity	NTU	-	2.91	2.52	3.5	3.01
Water Elevation	ft MSL	-	1559.45	1558.81	1559.33	1561.11
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	<0.10	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	<8.4	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.26	-
Cobalt	ug/L	31.38	-	-	22.6	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	8029.11	3490	3410	2970	2990
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	17.21	-	-	<4.6	-
Manganese	ug/L	23484.14	15000	13600	14100	<25000
Mercury	ng/L	4.0	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	0.57	-
Nickel	ug/L	27.04	23.2	< 20.0	<0.10	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	4.77	-	-	<1.4	-
Zinc	ug/L	77.08	< 10	< 10.0	5.6	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	131.77	145	75.8	70.6	73.6
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	165.11	126	117	105	100
Fluoride	mg/L	2.5	< 1.0	< 1.0	0.041	<1.0
Nitrogen, Ammonia	mg/L	0.88	0.416	0.412	0.426	0.37
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	<0.0089	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	<0.0037	< 0.1
Sulfate	mg/L	433.53	186	192	179	175
Sulfide	mg/L	0.80	< 0.20	< 0.20	<0.011	<0.40
Major Cations						
Calcium	mg/L	132.61	79.9	75.8	69.3	67.9
Magnesium	mg/L	43.54	29.4	28.9	27.3	26.4
Potassium	mg/L	5.64	4.3	4.5	4.3	4.6
Sodium	mg/L	139.93	45.0	44.4	42.0	42.3
General						
Hardness	mg/L	619.10	29	168	285	278

**2018 Q4 - Mine Permit Groundwater Quality Monitoring Data
MW-707 QAL (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended				
		Benchmark 2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	0.61	4.21	1.68	2.03
ORP	mV	-	-131.5	-123.1	-122.6	-116.3
pH	SU	6.43-7.43	7.26	7.16	6.93	7.1
Specific Conductance	uS/cm	-	342.9	349.6	332.4	333.9
Temperature	C	-	4.18	10.11	9.62	7.1
Turbidity	NTU	-	1.23	1.76	1.84	5.88
Water Elevation	ft MSL	-	1582.09	1582.94	1581.96	1582.69
Metals						
Aluminum	ug/L	200	-	-	<31.0	-
Antimony	ug/L	4.0	-	-	<0.80	-
Arsenic	ug/L	7.5	< 5.0	< 5.0	<0.10	<5.0
Barium	ug/L	400	-	-	<0.10	-
Beryllium	ug/L	2.5	-	-	<0.10	-
Boron	ug/L	1200	-	-	20.2	-
Cadmium	ug/L	3.0	-	-	<0.10	-
Chromium	ug/L	40	-	-	0.19	-
Cobalt	ug/L	80	-	-	<0.40	-
Copper	ug/L	16	< 4.0	< 4.0	<0.20	<4.0
Iron	ug/L	7115.36	4800	3410	4440	3700
Lead	ug/L	9.0	< 3.0	< 3.0	<0.10	<3.0
Lithium	ug/L	40	-	-	<4.6	-
Manganese	ug/L	1127.81	976	716	841	747
Mercury	ng/L	4.0	< 1.0	< 1.0	<1.0	<1.0
Molybdenum	ug/L	200	-	-	0.89	-
Nickel	ug/L	80	< 20	< 20	<0.10	<20.0
Selenium	ug/L	20	-	-	<1.0	-
Silver	ug/L	0.80	-	-	<0.10	-
Thallium	ug/L	2.0	-	-	<0.040	-
Vanadium	ug/L	16	-	-	<1.4	-
Zinc	ug/L	29.27	< 10	< 10	<1.7	<10.0
Major Anions						
Alkalinity, Bicarbonate	mg/L	168.29	166	163	165	162
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	40	< 10	< 10	<0.72	<10.0
Fluoride	mg/L	2.5	< 1.0	< 1.0	<0.032	<1.0
Nitrogen, Ammonia	mg/L	0.32	0.259	0.174	0.028	-
Nitrogen, Nitrate	mg/L	0.4	< 0.1	< 0.1	0.017	< 0.1
Nitrogen, Nitrite	mg/L	0.4	< 0.1	< 0.1	<0.0037	< 0.1
Sulfate	mg/L	9.35	3.2	2.7	<0.86	<1.0
Sulfide	mg/L	0.80	< 0.20	< 0.20	<0.011	<0.20
Major Cations						
Calcium	mg/L	45.91	43.4	41.6	44.9	41.5
Magnesium	mg/L	13.49	11.3	11.5	11.7	11.3
Potassium	mg/L	2.93	2.1	2.2	2.3	2.4
Sodium	mg/L	3.62	3.0	2.8	2.9	3.0
General						
Hardness	mg/L	162.23	176	156	160	150
		-				
		-				

**2018 Q4 - Mine Permit Surface Water Quality Monitoring Data
MER-001 (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended Benchmark 2018				
		Q4	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	11.75	8.52	7.62	12.01
ORP	mV	-	67.8	230.6	143.7	93.6
pH	SU	5.4-6.4	6.91	6.66	6.78	7.60
Specific Conductance	uS/cm	-	99.6	71.9	114.3	100.0
Temperature	C	-	0.29	14.39	17.3	0.05
Turbidity	NTU	-	2.9	1.2	5.26	1.54
Flow	cfs	-	-	-	-	-
Metals						
Aluminum	ug/L	-	-	-	60.5	-
Antimony	ug/L	-	-	-	<0.80	-
Arsenic	ug/L	1.78	1.1	< 1.0	1.5	<1.0
Barium	ug/L	-	-	-	9.1	-
Beryllium	ug/L	-	-	-	<0.10	-
Boron	ug/L	-	-	-	7.0	-
Cadmium	ug/L	-	-	-	<0.012	-
Chromium	ug/L	-	-	-	0.30	-
Cobalt	ug/L	-	-	-	0.193	-
Copper	ug/L	1.56	0.39	0.73	0.646	0.55
Iron	ug/L	2135.64	1610	1070	1640	911
Lead	ug/L	0.66	0.145	0.136	0.239	0.14
Lithium	ug/L	-	-	-	<4.6	-
Manganese	ug/L	124.38	123	1900	90.2	40.4
Mercury	ng/L	4.63	2.29	3.62	3.30	3.04
Molybdenum	ug/L	-	-	-	0.23	-
Nickel	ug/L	0.74	0.52	0.7	0.694	0.62
Selenium	ug/L	-	-	-	0.089	-
Silver	ug/L	-	-	-	<0.10	-
Thallium	ug/L	-	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	6.28	1.88	2.4	0.93	2.62
Major Anions						
Alkalinity, Bicarbonate	mg/L	23.92	28.1	20.2	23.5	14.7
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	14.3	6.7	4.9	7.2	4.0
Fluoride	mg/L	0.4	< 0.10	< 0.10	0.085	<0.10
Nitrogen, Ammonia	mg/L	2.0	0.066	<0.025	<0.025	<0.025
Nitrogen, Nitrate	mg/L	2	0.112	< 0.1	0.044	< 0.1
Nitrogen, Nitrite	mg/L	2.0	< 0.1	< 0.1	<0.0037	< 0.1
Sulfate	mg/L	6.4	1.6	< 1.0	<1.7	<2.0
Sulfide	mg/L	20	< 0.20	< 0.20	0.017	<0.20
Major Cations						
Calcium	mg/L	9.97	8.9	6.1	8.3	5.5
Magnesium	mg/L	2.97	2.5	1.9	2.2	1.6
Potassium	mg/L	1.43	0.68	0.68	0.74	0.50
Sodium	mg/L	6.66	3.6	3	4.1	2.4
General						
Hardness	mg/L	43.78	48	26	29.9	20.5
Total Dissolved Solids	mg/L	200	<50	116	110	<50
Total Suspended Solids	mg/L	20.3	< 3.3	< 3.3	3.6	<3.3

Parameter	Unit	Recommended Benchmark 2018				
		Q4	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	11.62	8.4	7.65	12.06
ORP	mV	-	42.5	147.1	172.1	259.7
pH	SU	5.3-6.3	7.06	6.67	7.11	6.00
Specific Conductance	uS/cm	-	115.6	90.7	132.7	64.9
Temperature	C	-	0.3	14.29	16.3	0.07
Turbidity	NTU	-	3.47	1.83	5.39	1.34
Flow	cfs	-	-	-	-	-
Metals						
Aluminum	ug/L	-	-	-	62.8	-
Antimony	ug/L	-	-	-	<0.80	-
Arsenic	ug/L	2.05	1.4	1.3	1.8	<1.0
Barium	ug/L	-	-	-	9.9	-
Beryllium	ug/L	-	-	-	<0.10	-
Boron	ug/L	-	-	-	23.4	-
Cadmium	ug/L	-	-	-	<0.012	-
Chromium	ug/L	-	-	-	0.45	-
Cobalt	ug/L	-	-	-	0.278	-
Copper	ug/L	0.72	0.40	0.66	0.576	0.55
Iron	ug/L	2830.7	2010	1300	2030	998
Lead	ug/L	0.15	0.131	0.133	0.211	0.139
Lithium	ug/L	-	-	-	<4.6	-
Manganese	ug/L	346.55	169	125	138	59.6
Mercury	ng/L	4.26	1.95	3.33	2.39	2.96
Molybdenum	ug/L	-	-	-	0.29	-
Nickel	ug/L	0.82	0.58	0.7	0.773	0.68
Selenium	ug/L	-	-	-	0.117	-
Silver	ug/L	-	-	-	<0.10	-
Thallium	ug/L	-	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	5.29	8.25	1.96	0.91	2.71
Major Anions						
Alkalinity, Bicarbonate	mg/L	31.21	31.8	22.9	25.0	16.2
Alkalinity, Carbonate	mg/L	8.0	<2.0	<2.0	<2.0	<2.0
Chloride	mg/L	18	7.8	6.5	6.6	4.9
Fluoride	mg/L	0.4	<0.10	<0.10	0.11	<0.10
Nitrogen, Ammonia	mg/L	2.0	0.077	<0.025	<0.025	<0.025
Nitrogen, Nitrate	mg/L	2	0.107	<0.10	0.034	<0.10
Nitrogen, Nitrite	mg/L	2.0	<0.10	<0.10	0.004	<0.10
Sulfate	mg/L	4	5.1	3.3	6.0	<1.0
Sulfide	mg/L	20	<0.20	<0.20	0.016	<0.20
Major Cations						
Calcium	mg/L	14.79	10.3	7.3	8.5	6.0
Magnesium	mg/L	4.14	2.9	2.3	2.4	1.7
Potassium	mg/L	1.59	0.75	0.77	0.83	0.56
Sodium	mg/L	9.09	4.7	4.2	5.8	3.2
General						
Hardness	mg/L	52.66	42	26	31	22
Total Dissolved Solids	mg/L	200	120	120	113	<50.0
Total Suspended Solids	mg/L	123.2	<3.3	<3.3	3.7	<3.3

**2018 Q4 - Mine Permit Surface Water Quality Monitoring Data
MER-003 (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended Benchmark 2018				
		Q4	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	11.36	8.36	7.6	12.34
ORP	mV	-	11.6	114.8	134.6	89.7
pH	SU	5.4-6.4	7.42	6.78	7.22	7.35
Specific Conductance	uS/cm	-	124.7	121.3	152.1	130.3
Temperature	C	-	0.09	13.15	16.4	0.26
Turbidity	NTU	-	3.43	2.55	5.24	1.87
Flow	cfs	-	-	-	-	-
Metals						
Aluminum	ug/L	-	-	-	68.5	-
Antimony	ug/L	-	-	-	<0.80	-
Arsenic	ug/L	2.73	1.5	1.3	1.7	<1.0
Barium	ug/L	-	-	-	9.8	-
Beryllium	ug/L	-	-	-	<0.10	-
Boron	ug/L	-	-	-	26.1	-
Cadmium	ug/L	-	-	-	<0.012	-
Chromium	ug/L	-	-	-	0.31	-
Cobalt	ug/L	-	-	-	0.262	-
Copper	ug/L	0.67	0.37	0.66	0.649	0.55
Iron	ug/L	3492.75	2040	1450	2020	1070
Lead	ug/L	1.91	0.127	0.151	0.208	0.134
Lithium	ug/L	-	-	-	<4.6	-
Manganese	ug/L	325.69	178	137	138	70.4
Mercury	ng/L	6.99	2.14	3.79	3.23	2.54
Molybdenum	ug/L	-	-	-	0.29	-
Nickel	ug/L	1.54	0.78	1.18	1.92	0.82
Selenium	ug/L	-	-	-	0.109	-
Silver	ug/L	-	-	-	<0.10	-
Thallium	ug/L	-	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	13.31	1.99	2.2	0.69	2.35
Major Anions						
Alkalinity, Bicarbonate	mg/L	33.46	32.2	24.9	105	17.8
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	20.53	8.7	8.7	8.6	6.9
Fluoride	mg/L	0.4	< 0.10	< 0.10	0.11	<0.10
Nitrogen, Ammonia	mg/L	2.0	0.087	< 0.025	<0.004	0.0286
Nitrogen, Nitrate	mg/L	2	0.107	< 0.10	0.032	< 0.10
Nitrogen, Nitrite	mg/L	2.0	< 0.10	< 0.10	0.004	< 0.10
Sulfate	mg/L	25.51	9.9	7.9	8.0	8.4
Sulfide	mg/L	20	< 0.20	< 0.20	0.019	<0.20
Major Cations						
Calcium	mg/L	13.48	10.8	7.5	8.5	6.3
Magnesium	mg/L	4.16	3.1	2.5	2.5	1.9
Potassium	mg/L	1.73	0.85	0.88	0.90	0.63
Sodium	mg/L	9.33	5.7	7	7.3	6.7
General						
Hardness	mg/L	56.89	42	22	31	23
Total Dissolved Solids	mg/L	200	62	86	<83.3	70.0
Total Suspended Solids	mg/L	20.35	< 3.3	< 3.3	3.7	<3.3

**2018 Q4 - Mine Permit Surface Water Quality Monitoring Data
WBR-001 (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended Benchmark 2018				
		Q1	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	10.62	6.96	6.4	10.39
ORP	mV	-	138.6	230.9	205.1	315.9
pH	SU	4.6-5.6	6.55	5.49	6.42	5.29
Specific Conductance	uS/cm	-	96.9	103.2	91.7	72.6
Temperature	C	-	0.11	18.91	17.1	0.206
Turbidity	NTU	-	43.96	0.38	1.67	1.55
Flow	cfs	-	-	-	-	-
Metals						
Aluminum	ug/L	-	-	-	239	-
Antimony	ug/L	-	-	-	<0.80	-
Arsenic	ug/L	1.48	1.8	1.4	1.6	<1.0
Barium	ug/L	-	-	-	10.0	-
Beryllium	ug/L	-	-	-	<0.10	-
Boron	ug/L	-	-	-	6.0	-
Cadmium	ug/L	-	-	-	0.026	-
Chromium	ug/L	-	-	-	0.67	-
Cobalt	ug/L	-	-	-	0.282	-
Copper	ug/L	0.66	0.97	0.77	0.589	1.13
Iron	ug/L	1900.2	3460	1320	2010	1610
Lead	ug/L	1.32	2.16	0.8	0.822	0.702
Lithium	ug/L	-	-	-	<4.6	-
Manganese	ug/L	121.66	277	135	94.7	111
Mercury	ng/L	11.48	8.75	7.11	4.76	5.23
Molybdenum	ug/L	-	-	-	<0.20	-
Nickel	ug/L	0.98	0.94	0.93	0.935	0.65
Selenium	ug/L	-	-	-	0.156	-
Silver	ug/L	-	-	-	<0.10	-
Thallium	ug/L	-	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	8.22	7.78	5.93	3.98	5.38
Major Anions						
Alkalinity, Bicarbonate	mg/L	5.75	10	5.5	7.0	4.0
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	22.94	19.4	21.5	9.2	14.5
Fluoride	mg/L	0.4	< 0.10	< 0.10	0.082	<0.10
Nitrogen, Ammonia	mg/L	2.0	0.259	< 0.025	<0.004	0.031
Nitrogen, Nitrate	mg/L	2.0	<0.1	< 0.10	0.016	< 0.10
Nitrogen, Nitrite	mg/L	2.0	< 0.1	< 0.10	0.006	< 0.10
Sulfate	mg/L	4.0	< 10	< 2.0	<4.3	<5.0
Sulfide	mg/L	20	< 0.20	< 0.2	<0.011	<0.20
Major Cations						
Calcium	mg/L	5.64	4.9	3.7	4.4	3.7
Magnesium	mg/L	2.49	2.0	1.6	1.7	1.4
Potassium	mg/L	1.61	0.87	0.86	0.62	0.65
Sodium	mg/L	10.56	8.4	9.7	4.5	6.8
General						
Hardness	mg/L	30.37	60	12	18	15
Total Dissolved Solids	mg/L	200	52	86	103	60.0
Total Suspended Solids	mg/L	13.2	6.9	20.4	3.2	<3.3

* - Lowest achievable Reporting Limit by laboratory due to matrix interference

**2018 Q4 - Mine Permit Surface Water Quality Monitoring Data
WBR-002 (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended Benchmark 2018				
		Q4	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	1.45	8.53	7.14	10.2
ORP	mV	-	5.34	236.4	225.5	264.1
pH	SU	4.9-5.9	6.23	6.44	6.35	5.80
Specific Conductance	uS/cm	-	252.9	146.1	202.9	152.9
Temperature	C	-	0.74	20.34	19.2	1.98
Turbidity	NTU	-	42.11	56.1	29.1	62.2
Flow	cfs	-	-	-	-	-
Metals						
Aluminum	ug/L	-	-	-	<31.0	-
Antimony	ug/L	-	-	-	<0.80	-
Arsenic	ug/L	2.1	5.1	3.2	2.7	1.7
Barium	ug/L	-	-	-	8.5	-
Beryllium	ug/L	-	-	-	<0.10	-
Boron	ug/L	-	-	-	13.4	-
Cadmium	ug/L	-	-	-	<0.012	-
Chromium	ug/L	-	-	-	0.26	-
Cobalt	ug/L	-	-	-	0.245	-
Copper	ug/L	1.05	0.84	3.07	0.482	1.13
Iron	ug/L	4247.98	12600	6380	6930	3980
Lead	ug/L	0.28	0.468	1.1	0.241	0.201
Lithium	ug/L	-	-	-	<4.6	-
Manganese	ug/L	235.15	875	271	188	106
Mercury	ng/L	6.9	3.97	5.72	0.99	2.35
Molybdenum	ug/L	-	-	-	0.35	-
Nickel	ug/L	1.67	1.7	3.21	1.43	2.95
Selenium	ug/L	-	-	-	0.119	-
Silver	ug/L	-	-	-	<0.10	-
Thallium	ug/L	-	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	18.09	4.03	9.7	0.45	2.9
Major Anions						
Alkalinity, Bicarbonate	mg/L	21.5	35.2	16.4	28	16.2
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	<2.0	<2.0
Chloride	mg/L	36.73	46.5	28.1	35.5	31.5
Fluoride	mg/L	0.4	< 0.10	< 0.10	0.096	< 0.10
Nitrogen, Ammonia	mg/L	2.0	0.437	0.0353	0.0046	0.0287
Nitrogen, Nitrate	mg/L	2.0	< 0.1	< 0.10	<0.0089	< 0.10
Nitrogen, Nitrite	mg/L	2.0	< 0.1	< 0.10	0.007	< 0.10
Sulfate	mg/L	4.0	< 10	< 1.0	<0.86	<5.0
Sulfide	mg/L	20	< 0.20	< 0.20	0.018	< 0.20
Major Cations						
Calcium	mg/L	8.38	10.8	5.4	8.3	6.4
Magnesium	mg/L	3.92	5.2	2.9	4	2.9
Potassium	mg/L	2.7	1.8	2.1	1.2	1.4
Sodium	mg/L	19.72	22.5	14.6	17.9	16.3
General						
Hardness	mg/L	36.25	44	26	37.3	28.1
Total Dissolved Solids	mg/L	200	142	106	127	90
Total Suspended Solids	mg/L	13.2	14.4	12.2	4.4	3.7

* - Lowest achievable Reporting Limit by laboratory due to matrix interference

**2018 - Mine Permit Surface Water Quality Monitoring Data
WBR-003 (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended Benchmark 2018				
		Q4	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	3.52	4.39	3.46	6.9
ORP	mV	-	32.9	188.2	56.1	284.2
pH	SU	4.9-5.9	6.35	6.26	6.6	5.87
Specific Conductance	uS/m	-	249.6	126.0	199.0	137.4
Temperature	C	-	0.03	16.75	17.1	0.06
Turbidity	NTU	-	27.83	10.44	53.7	6.79
Flow	cfs	-	-	-	-	-
Metals						
Aluminum	ug/L	-	-	-	34.0	-
Antimony	ug/L	-	-	-	<0.80	-
Arsenic	ug/L	2.1	3.5	2.0	4.8	<1.0
Barium	ug/L	-	-	-	19.2	-
Beryllium	ug/L	-	-	-	<0.10	-
Boron	ug/L	-	-	-	13.9	-
Cadmium	ug/L	-	-	-	<0.012	-
Chromium	ug/L	-	-	-	0.27	-
Cobalt	ug/L	-	-	-	1.05	-
Copper	ug/L	1.05	0.53	0.63	0.231	0.73
Iron	ug/L	4247.98	10700	4430	13400	2780
Lead	ug/L	0.28	0.258	0.173	0.105	0.151
Lithium	ug/L	-	-	-	<4.6	-
Manganese	ug/L	235.15	1000	324	1030	44.8
Mercury	ng/L	6.9	2.63	3.38	1.80	1.25
Molybdenum	ug/L	-	-	-	0.22	-
Nickel	ug/L	1.67	1.47	1.49	1.12	1.09
Selenium	ug/L	-	-	-	0.106	-
Silver	ug/L	-	-	-	<0.10	-
Thallium	ug/L	-	-	-	<0.040	-
Vanadium	ug/L	-	-	-	<1.4	-
Zinc	ug/L	18.09	3.48	2.65	2.39	2.16
Major Anions						
Alkalinity, Bicarbonate	mg/L	21.5	46	27.9	44.7	17.2
Alkalinity, Carbonate	mg/L	8.0	< 2.0	< 2.0	< 2.0	< 2.0
Chloride	mg/L	36.73	37.5	16.2	21.8	25.5
Fluoride	mg/L	0.4	< 0.10	0.13	0.095	<0.10
Nitrogen, Ammonia	mg/L	2.0	0.442	0.0585	0.0332	0.0258
Nitrogen, Nitrate	mg/L	2.0	< 0.1	< 0.10	<0.0089	< 0.10
Nitrogen, Nitrite	mg/L	2.0	< 0.1	< 0.10	0.006	< 0.10
Sulfate	mg/L	4.0	< 10 *	< 1.0	<4.3	< 1.0
Sulfide	mg/L	20	< 0.20	< 0.20	0.021	< 0.20
Major Cations						
Calcium	mg/L	8.38	12.5	7.2	11.4	6.2
Magnesium	mg/L	3.92	5.6	3.3	4.5	2.9
Potassium	mg/L	2.7	1.6	1.3	1.4	1.1
Sodium	mg/L	19.72	17.1	8	11.3	13.4
General						
Hardness	mg/L	36.25	48	24	47.1	27.6
Total Dissolved Solids	mg/L	200	175	130	153	72
Total Suspended Solids	mg/L	13.2	11.8	8.3	26.8	<3.3

* - Lowest achievable Reporting Limit by laboratory due to matrix interference

**2018 - Mine Permit Surface Water Quality Monitoring Data
HMP-009 (Monitoring) - Humboldt Mill**

Parameter	Unit	Recommended Benchmark Q4				
		2018	Q1 2018	Q2 2018	Q3 2018	Q4 2018
Field						
D.O.	ppm	-	NM	NM	NM	NM
ORP	mV	-	NM	NM	NM	NM
pH	SU	-	NM	NM	NM	NM
Specific Conductance	uS/m	-	NM	NM	NM	NM
Temperature	C	-	NM	NM	NM	NM
Turbidity	NTU	-	NM	NM	NM	NM
Flow	cfs	-	NM	NM	NM	NM
Metals						
Aluminum	ug/L	-	NM	NM	NM	NM
Antimony	ug/L	-	NM	NM	NM	NM
Arsenic	ug/L	-	NM	NM	NM	NM
Barium	ug/L	-	NM	NM	NM	NM
Beryllium	ug/L	-	NM	NM	NM	NM
Boron	ug/L	-	NM	NM	NM	NM
Cadmium	ug/L	-	NM	NM	NM	NM
Chromium	ug/L	-	NM	NM	NM	NM
Cobalt	ug/L	-	NM	NM	NM	NM
Copper	ug/L	-	NM	NM	NM	NM
Iron	ug/L	-	NM	NM	NM	NM
Lead	ug/L	-	NM	NM	NM	NM
Lithium	ug/L	-	NM	NM	NM	NM
Manganese	ug/L	-	NM	NM	NM	NM
Mercury	ng/L	-	NM	NM	NM	NM
Molybdenum	ug/L	-	NM	NM	NM	NM
Nickel	ug/L	-	NM	NM	NM	NM
Selenium	ug/L	-	NM	NM	NM	NM
Silver	ug/L	-	NM	NM	NM	NM
Thallium	ug/L	-	NM	NM	NM	NM
Vanadium	ug/L	-	NM	NM	NM	NM
Zinc	ug/L	-	NM	NM	NM	NM
Major Anions						
Alkalinity, Bicarbonate	mg/L	-	NM	NM	NM	NM
Alkalinity, Carbonate	mg/L	-	NM	NM	NM	NM
Chloride	mg/L	-	NM	NM	NM	NM
Fluoride	mg/L	-	NM	NM	NM	NM
Nitrogen, Ammonia	mg/L	-	NM	NM	NM	NM
Nitrogen, Nitrate	mg/L	-	NM	NM	NM	NM
Nitrogen, Nitrite	mg/L	-	NM	NM	NM	NM
Sulfate	mg/L	-	NM	NM	NM	NM
Sulfide	mg/L	-	NM	NM	NM	NM
Major Cations						
Calcium	mg/L	-	NM	NM	NM	NM
Magnesium	mg/L	-	NM	NM	NM	NM
Potassium	mg/L	-	NM	NM	NM	NM
Sodium	mg/L	-	NM	NM	NM	NM
General						
Hardness	mg/L	-	NM	NM	NM	NM
Total Dissolved Solids	mg/L	-	NM	NM	NM	NM
Total Suspended Solids	mg/L	-	NM	NM	NM	NM