

## LABORATORY REPORT

This report contains \_\_\_\_\_<sup>6</sup> pages.  
(including the cover page)

If you have any questions concerning this report, please do not hesitate to call us at  
(800) 332-4345 or (574) 233-4777.

*This report may not be reproduced, except in full, without written approval from Eurofins  
Eaton Analytical, Inc.*

110 South Hill Street  
 South Bend, IN 46617  
 Tel: (574) 233-4777  
 Fax: (574) 233-8207  
 1 800 332 4345

## Laboratory Report

Client: Superior Watershed Partnership & Land Trust  
 Attn: Geraldine Grant  
 2 Peter White Drive  
 Presque Isle Park  
 Marquette, MI 49855  
 Copies to: None

Report: 330149  
 Priority: Standard Written  
 Status: Final  
 PWS ID: Not Supplied

Sample Information					
EEA ID #	Client ID	Method	Collected Date / Time	Collected By:	Received Date / Time
3148753	HUMWTP-EFF CEM-10010220	300.0	12/03/14 12:30	Client	12/04/14 09:00
3148753	HUMWTP-EFF CEM-10010220	4500-F- C	12/03/14 12:30	Client	12/04/14 09:00
3148753	HUMWTP-EFF CEM-10010220	2540 C	12/03/14 12:30	Client	12/04/14 09:00
3148753	HUMWTP-EFF CEM-10010220	2540 D	12/03/14 12:30	Client	12/04/14 09:00
3148754	HUMWTP-EFF CEM-10010220	200.8	12/03/14 12:30	Client	12/04/14 09:00
3148755	HUMWTP-EFF CEM-10010220	4500-NH3 D	12/03/14 12:30	Client	12/04/14 09:00
3148756	HUMWTP-EFF CEM-10010220	4500-P E	12/03/14 12:30	Client	12/04/14 09:00

### Report Summary

Project: CEMP

Detailed quantitative results are presented on the following pages. The results presented relate only to the samples provided for analysis.

We appreciate the opportunity to provide you with this analysis. If you have any questions concerning this report, please do not hesitate to call James Van Fleit at (574) 233-4777.

*Note: This report may not be reproduced, except in full, without written approval from EEA.*



Authorized Signature

Title

12/19/2014

Date

Client Name: Superior Watershed Partnership & Land Trust

Report #: 330149

Sampling Point: HUMWTP-EFF CEM-10010220

PWS ID: Not Supplied

General Chemistry									
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #
---	Solids, Dissolved	2540 C	500 ^	10	360	mg/L	---	12/10/14 18:18	3148753
---	Solids, Suspended	2540 D	---	10	< 10	mg/L	---	12/10/14 18:18	3148753
14808-79-8	Sulfate	300.0	250 ^	5.0	140	mg/L	---	12/11/14 11:19	3148753
16984-48-8	Fluoride	4500-F- C	4 *	0.1	0.2	mg/L	---	12/08/14 14:57	3148753
7664-41-7	Nitrogen, Ammonia	4500-NH3 D	---	0.1	< 0.1	mg/L	---	12/04/14 14:44	3148755
7723-14-0	Phosphorus	4500-P E	---	0.05	0.07	mg P/L	---	12/16/14 23:00	3148756

Metals									
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #
7440-36-0	Antimony	200.8	6 *	1.0	3.7	ug/L	---	12/09/14 19:06	3148754
7440-38-2	Arsenic	200.8	10 *	1.0	< 1.0	ug/L	---	12/09/14 19:06	3148754
7440-39-3	Barium	200.8	2000 *	2.0	7.5	ug/L	---	12/09/14 19:06	3148754
7440-42-8	Boron	200.8	---	5.0	77	ug/L	---	12/09/14 19:06	3148754
7440-43-9	Cadmium	200.8	5 *	1.0	< 1.0	ug/L	---	12/09/14 19:06	3148754
7440-47-3	Chromium	200.8	100 *	0.9	< 0.9	ug/L	---	12/09/14 19:06	3148754
7440-48-4	Cobalt	200.8	---	2.0	2.0	ug/L	---	12/09/14 19:06	3148754
7440-50-8	Copper	200.8	1300 !	1.0	< 1.0	ug/L	---	12/09/14 19:06	3148754
7439-92-1	Lead	200.8	15 !	1.0	< 1.0	ug/L	---	12/09/14 19:06	3148754
7439-93-2	Lithium	200.8	---	2.0	3.4	ug/L	---	12/09/14 19:06	3148754
7439-96-5	Manganese	200.8	50 ^	2.0	270	ug/L	---	12/09/14 19:06	3148754
7439-98-7	Molybdenum	200.8	---	2.0	8.9	ug/L	---	12/09/14 19:06	3148754
7440-02-0	Nickel	200.8	---	1.0	2.5	ug/L	---	12/09/14 19:06	3148754
7782-49-2	Selenium	200.8	50 *	2.0	< 2.0	ug/L	---	12/09/14 19:06	3148754
7440-24-6	Strontium	200.8	---	2.0	200	ug/L	---	12/09/14 19:06	3148754
7440-66-6	Zinc	200.8	5000 ^	5.0	< 5.0	ug/L	---	12/09/14 19:06	3148754

† EEA has demonstrated it can achieve these report limits in reagent water, but can not document them in all sample matrices.

Reg Limit Type:	MCL	SMCL	AL
Symbol:	*	^	!

## Lab Definitions

**Continuing Calibration Check Standard (CCC) / Continuing Calibration Verification (CCV) / Initial Calibration Verification Standard (ICV) / Initial Performance Check (IPC)** - is a standard containing one or more of the target analytes that is prepared from the same standards used to calibrate the instrument. This standard is used to verify the calibration curve at the beginning of each analytical sequence, and may also be analyzed throughout and at the end of the sequence. The concentration of continuing standards may be varied, when prescribed by the reference method, so that the range of the calibration curve is verified on a regular basis.

**Internal Standards (IS)** - are pure compounds with properties similar to the analytes of interest, which are added to field samples or extracts, calibration standards, and quality control standards at a known concentration. They are used to measure the relative responses of the analytes of interest and surrogates in the sample, calibration standard or quality control standard.

**Laboratory Duplicate (LD)** - is a field sample aliquot taken from the same sample container in the laboratory and analyzed separately using identical procedures. Analysis of laboratory duplicates provides a measure of the precision of the laboratory procedures.

**Laboratory Fortified Blank (LFB) / Laboratory Control Sample (LCS)** - is an aliquot of reagent water to which known concentrations of the analytes of interest are added. The LFB is analyzed exactly the same as the field samples. LFBs are used to determine whether the method is in control.

**Laboratory Method Blank (LMB) / Laboratory Reagent Blank (LRB)** - is a sample of reagent water included in the sample batch analyzed in the same way as the associated field samples. The LMB is used to determine if method analytes or other background contamination have been introduced during the preparation or analytical procedure. The LMB is analyzed exactly the same as the field samples.

**Laboratory Trip Blank (LTB) / Field Reagent Blank (FRB)** - is a sample of laboratory reagent water placed in a sample container in the laboratory and treated as a field sample, including storage, preservation, and all analytical procedures. The FRB/LTB container follows the collection bottles to and from the collection site, but the FRB/LTB is not opened at any time during the trip. The FRB/LTB is primarily a travel blank used to verify that the samples were not contaminated during shipment.

**Matrix Spike Duplicate Sample (MSD) / Laboratory Fortified Sample Matrix Duplicate (LFSMD)** - is a sample aliquot taken from the same field sample source as the Matrix Spike Sample to which known quantities of the analytes of interest are added in the laboratory. The MSD is analyzed exactly the same as the field samples. Analysis of the MSD provides a measure of the precision of the laboratory procedures in a specific matrix.

**Matrix Spike Sample (MS) / Laboratory Fortified Sample Matrix (LFSM)** - is a sample aliquot taken from field sample source to which known quantities of the analytes of interest are added in the laboratory. The MS is analyzed exactly the same as the field samples. The purpose is to demonstrate recovery of the analytes from a sample matrix to determine if the specific matrix contributes bias to the analytical results.

**Quality Control Standard (QCS) / Second Source Calibration Verification (SSCV)** - is a solution containing known concentrations of the analytes of interest prepared from a source different from the source of the calibration standards. The solution is obtained from a second manufacturer or lot if the lot can be demonstrated by the manufacturer as prepared independently from other lots. The QCS sample is analyzed using the same procedures as field samples. The QCS is used as a check on the calibration standards used in the method on a routine basis.

**Reporting Limit Check (RLC) / Initial Calibration Check Standard (ICCS)** - is a procedural standard that is analyzed each day to evaluate instrument performance at or below the minimum reporting limit (MRL).

**Surrogate Standard (SS) / Surrogate Analyte (SUR)** - is a pure compound with properties similar to the analytes of interest, which is highly unlikely to be found in any field sample, that is added to the field samples, calibration standards, blanks and quality control standards before sample preparation. The SS is used to evaluate the efficiency of the sample preparation process.



Eaton Analytical

110 S. Hill Street  
South Bend, IN 46617  
T: 1.800.332.4345  
F: 1.574.233.8207

Order# 261516  
Batch # \_\_\_\_\_

www.eatonanalytical.com

CHAIN OF CUSTODY RECORD

330149

Page 1 of 1

REPORT TO: <b>Geni Grant</b>				SAMPLER (Signature): <i>C. Hunter Ky?</i>		PWS ID #	STATE (sample origin): <b>MI</b>	PROJECT NAME: <b>CEMP</b>	PO#	# OF CONTAINERS	MATRIX CODE	TURNAROUND TIME	
BILL TO: <b>2 Peter White Drive Marquette MI 49855</b>				COMPLIANCE MONITORING: Yes <input type="checkbox"/> No <input type="checkbox"/>		POPULATION SERVED	SOURCE WATER						
LAB Number	COLLECTION			SAMPLING SITE	TEST NAME	SAMPLE REMARKS	CHLORINATED		YES	NO	#	RW	SW
	DATE	TIME	AM PM				YES	NO					
1		12/3/14	12:30	<	HUMWTP-EFF CEM-10010220	Table Included					X	4	
2	3148753					IOC							
3	754					metals							
4	755					NH3							
5	756					T.Phos							
6													
7													
8													
9													
10													
11													
12													
13													
14													

RELINQUISHED BY:(Signature) <i>C. Hunter Ky?</i>	DATE 12/3/14	TIME 1:45	RECEIVED BY:(Signature)	DATE	TIME	LAB RESERVES THE RIGHT TO RETURN UNUSED PORTIONS OF NON-AQUEOUS SAMPLES TO CLIENT  LAB COMMENTS
RELINQUISHED BY:(Signature)	DATE	TIME	RECEIVED BY:(Signature)	DATE	TIME	
RELINQUISHED BY:(Signature)	DATE	TIME	RECEIVED FOR LABORATORY BY:	DATE	TIME	
			<i>Shogon</i>	12/4/14	0900	CONDITIONS UPON RECEIPT (check one): <input checked="" type="checkbox"/> Iced (Wet/Blue) <input type="checkbox"/> Ambient <input type="checkbox"/> °C Upon Receipt <u>0.4</u> <input type="checkbox"/> N/A

<b>MATRIX CODES:</b> DW-DRINKING WATER RW-REAGENT WATER GW-GROUND WATER EW-EXPOSURE WATER SW-SURFACE WATER PW-POOL WATER WW-WASTE WATER	<b>TURN-AROUND TIME (TAT) - SURCHARGES*</b> SW = Standard Written: (15 working days) 0% RV* = Rush Verbal: (5 working days) 50% RW* = Rush Written: (5 working days) 75%	IV* = Immediate Verbal: (3 working days) 100% IW* = Immediate Written: (3 working days) 125% SP* = Weekend, Holiday CALL STAT* = Less than 48 hours CALL	Samples received unannounced with less than 48 hours holding time remaining may be subject to additional charges.
--	---	---	---

\* Please call, expedited service not available for all testing  
06-LO-F0435 Issue 4.0 Effective Date: 2014-05-01  
Sample analysis will be provided according to the standard EEA/Water Services Terms, which are available upon request. Any other terms proposed by Customer are deemed material alterations and are rejected unless expressly agree to in writing by EEA.

WTP Effluent	Frequency of Analysis*	Sample Type	Analytical Methods	Maximum Daily Limit	Quantitation/ Reporting Limit	Max Daily Limit & Quantitation Units
<b>Field</b>						
Dissolved Oxygen	Daily	Grab	Field	Report	NA	mg/l
pH	Daily	Grab	Field	6.5 - 9	NA	S.U.
Outfall Observation	Daily	Grab	Field	**	NA	NA
<b>Other</b>						
Total Suspended Solids	Weekly	Grab	2540D	30	NA	mg/L
Total Dissolved Solids	Weekly	Grab	2540C	Report	NA	mg/L
Biochemical Oxygen Demand (BOD)	2 x Month	Grab	5210B	Report	NA	mg/l
Acute Toxicity	Monthly	Grab		1	NA	TU <sub>A</sub>
Chronic Toxicity	Monthly	Grab		1	NA	TU <sub>C</sub>
<b>Anions</b>						
Ammonia Nitrogen	2 x Month	Grab	4500-NH3 G	Report	0.05	mg/l
Total Phosphorus	Weekly	Grab	4500-P E	Report	0.01	mg/l
Fluoride	2 x Month	Grab	4500-F C	Report	100	ug/l
Sulfate	Weekly	Grab	ASTMD516-90(02)	Report	5	mg/l
<b>Metals</b>						
Total Antimony	2 x Month	Grab	200.7/200.8	Report	1.0	ug/l
Total Arsenic	Weekly	Grab	200.7/200.8	10	1.0	ug/l
Total Barium	2 x Month	Grab	200.7/200.8	Report	5.0	ug/l
Total Boron	2 x Month	Grab	200.7/200.8	250	20.0	ug/l
Total Cadmium	Weekly	Grab	200.7/200.8	5	0.2	ug/l
Total Chromium	2 x Month	Grab	200.7/200.8	Report	1.0	ug/l
Total Cobalt	Weekly	Grab	200.7/200.8	Report	15.0	ug/l
Total Copper	Weekly	Grab	200.7/200.8	21	1.0	ug/l
Total Lead	Weekly	Grab	200.7/200.8	Report	1.0	ug/l
Total Lithium	2 x Month	Grab	200.7/200.8	Report	8.0	ug/l
Total Manganese	Weekly	Grab	200.7/200.8	Report	5.0	ug/l
Total Mercury	Weekly	Grab	1631E	2.1	0.5	ng/L
Total Molybdenum	2 x Month	Grab	200.7/200.8	Report	25.0	ug/l
Total Nickel	Weekly	Grab	200.7/200.8	Report	2.0	ug/l
Total Selenium	Weekly	Grab	200.7/200.8	25	1.0	ug/l
Total Strontium	2 x Month	Grab	200.7/200.8	Report	5.0	ug/l
Total Zinc	Weekly	Grab	200.7/200.8	Report	10.0	ug/l